

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard

EASTMAN

Eastman(TM) Turbo Oil 2380

PRD / SDSUS / Z8 / 0001

Version	Revision Date:	SDS Number:	Date of last issue: 01/07/2021
1.3	04/07/2025	150000097793	Date of first issue: 09/06/2016

SECTION 1. IDENTIFICATION

Product name : Eastman(TM) Turbo Oil 2380

Product code : 34359-00, P3435905, P3435903, P3435902, P3435901, P3435900, P3435906, E3435902, P3435904

Manufacturer or supplier's details

Company name of supplier : Eastman Chemical Company

Address : 200 South Wilcox Drive
Kingsport TN 37660-5147

Telephone : (423) 229-2000

Emergency telephone : CHEMTREC: +1-800-424-9300, +1-703-527-3887 CCN7321

Recommended use of the chemical and restrictions on use

Recommended use : Lubricant

Restrictions on use : None known.

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Not a hazardous substance or mixture.

GHS label elements

Not a hazardous substance or mixture.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
N-Phenylbenzenamine reaction products with 2,4,4-trimethylpentene	68411-46-1	1 - 5
Tricresyl phosphate	1330-78-5	< 3
N-phenyl-1-naphthylamine	90-30-2	< 2.5

Eastman is committed to the safety, health and environment of our employees, our customers, and the communities we operate within. As part of this commitment, Eastman's Safety Data Sheets (SDS) are

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard

EASTMAN

Eastman(TM) Turbo Oil 2380

PRD / SDSUS / Z8 / 0001

Version	Revision Date:	SDS Number:	Date of last issue: 01/07/2021
1.3	04/07/2025	150000097793	Date of first issue: 09/06/2016

prepared in accordance with all applicable national and local regulations. The compositions of our documents reflect these requirements which include, but are not limited to, requirements under the Globally Harmonized System of Classification and Labeling (GHS). These compositions commonly involve the use of ranges versus specific analytical values. If you require a composition that is more specific, please refer to the Certificate of Analysis, sales specification, or contact your Customer Service Representative.

SECTION 4. FIRST AID MEASURES

If inhaled	: Move to fresh air. If breathing is difficult, give oxygen. Consult a physician if necessary.
In case of skin contact	: Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Wash contaminated clothing before reuse. If symptoms persist, call a physician.
In case of eye contact	: In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Get medical attention if symptoms occur.
If swallowed	: Rinse mouth. Call a physician or poison control center immediately. Do NOT induce vomiting. Never give anything by mouth to an unconscious person.
Most important symptoms and effects, both acute and delayed	: Prolonged skin contact may defat the skin and produce dermatitis. Contact with hot product will cause thermal burns. Inhalation of thermal decomposition products may lead to adverse effects including pulmonary edema.
Notes to physician	: Treat symptomatically.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	: Water spray Foam Dry powder Carbon dioxide (CO2)
Unsuitable extinguishing media	: Do not use a solid water stream as it may scatter and spread fire.
Hazardous combustion products	: Carbon monoxide Carbon dioxide (CO2) Oxides of phosphorus

No hazardous combustion products are known

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard

EASTMAN

Eastman(TM) Turbo Oil 2380

PRD / SDSUS / Z8 / 0001

Version	Revision Date:	SDS Number:	Date of last issue: 01/07/2021
1.3	04/07/2025	150000097793	Date of first issue: 09/06/2016

Further information : In case of fire and/or explosion do not breathe fumes.
Use water spray to cool unopened containers.
Prevent fire extinguishing water from contaminating surface water or the ground water system.

Special protective equipment for fire-fighters : Wear an approved positive pressure self-contained breathing apparatus in addition to standard fire fighting gear.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Ventilate the area.
Material can create slippery conditions.
Use personal protective equipment.
Local authorities should be advised if significant spillages cannot be contained.

Environmental precautions : Avoid release to the environment.

Methods and materials for containment and cleaning up : Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local / national regulations (see section 13).

SECTION 7. HANDLING AND STORAGE

Advice on safe handling : Handle in accordance with good industrial hygiene and safety practice.
Do not get in eyes.
Do not get on skin or clothing.
Wash thoroughly after handling.
Do not breathe vapors or spray mist.
Use only in area provided with appropriate exhaust ventilation.
Drain or remove substance from equipment prior to break-in or maintenance.
Wear appropriate personal protective equipment.

Conditions for safe storage : Keep containers tightly closed in a cool, well-ventilated place.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

Engineering measures : Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard

EASTMAN

Eastman(TM) Turbo Oil 2380

PRD / SDSUS / Z8 / 0001

Version	Revision Date:	SDS Number:	Date of last issue: 01/07/2021
1.3	04/07/2025	150000097793	Date of first issue: 09/06/2016

airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Personal protective equipment

Respiratory protection : Use a properly fitted, particulate filter respirator complying with an approved standard if a risk assessment indicates this is necessary.

Respirator selection, use, and maintenance must be in accordance with regulatory requirements, if applicable. Protective equipment only chosen according to specific regulatory requirements after a risk assessment.

Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.

Hand protection

Material : Recommended gloves:

Material : Nitrile rubber

Remarks : Wear suitable gloves. Contact the glove manufacturer for specific advice on glove selection and breakthrough times for your use conditions.

Eye protection : Wear safety glasses with side shields (or goggles).

Protective measures : Ensure that eye flushing systems and safety showers are located close to the working place.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Color : amber

Odor : No data available

pH : not determined

Melting point/freezing point : -65 °F / -54 °C

Boiling point/boiling range : not determined

Flash point : 475 °F / 246 °C

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard

EASTMAN

Eastman(TM) Turbo Oil 2380

PRD / SDSUS / Z8 / 0001

Version	Revision Date:	SDS Number:	Date of last issue: 01/07/2021
1.3	04/07/2025	150000097793	Date of first issue: 09/06/2016

Method: Cleveland open cup

Upper explosion limit / Upper flammability limit	:	not determined
Lower explosion limit / Lower flammability limit	:	not determined
Vapor pressure	:	not determined
Relative vapor density	:	not determined
Relative density	:	0.98 (60.1 °F / 15.6 °C)
Density	:	980 kg/m3 (60.1 °F / 15.6 °C)
Solubility(ies)	:	
Water solubility	:	insoluble
Partition coefficient: n-octanol/water	:	Not applicable
Viscosity	:	
Viscosity, dynamic	:	not determined
Viscosity, kinematic	:	23 - 30 mm2/s (104 °F / 40 °C)
	:	4.9 - 5.4 mm2/s (212 °F / 100 °C)

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	None reasonably foreseeable.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	None known.
Conditions to avoid	:	Keep away from sources of ignition - No smoking.
Incompatible materials	:	Strong oxidizing agents
Hazardous decomposition products	:	Emits acrid smoke and fumes when heated to decomposition.

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity	:	Acute toxicity estimate: > 5,000 mg/kg
---------------------	---	--

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard

EASTMAN

Eastman(TM) Turbo Oil 2380

PRD / SDSUS / Z8 / 0001

Version	Revision Date:	SDS Number:	Date of last issue: 01/07/2021
1.3	04/07/2025	150000097793	Date of first issue: 09/06/2016

Method: Calculation method

Acute inhalation toxicity : Remarks: No data available

Acute dermal toxicity : Remarks: No data available

Components:

N-Phenylbenzenamine reaction products with 2,4,4-trimethylpentene:

Acute oral toxicity : LD50 Oral (Rat): > 5,000 mg/kg

Acute dermal toxicity : LD50 Dermal (Rabbit): > 2,000 mg/kg

Tricresyl phosphate:

Acute oral toxicity : LD50 Oral (Rat): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 5.2 mg/l
Exposure time: 4 h

Acute dermal toxicity : LD50 Dermal (Rabbit): > 10,000 mg/kg

N-phenyl-1-naphthylamine:

Acute oral toxicity : LD50 Oral (Rat): 1,250 mg/kg

Acute dermal toxicity : LD50 Dermal (Rabbit): > 2,000 mg/kg

Skin corrosion/irritation

Not classified based on available information.

Product:

Remarks : No data available

Components:

N-Phenylbenzenamine reaction products with 2,4,4-trimethylpentene:

Species : Rabbit
Assessment : Not classified
Result : slight

Tricresyl phosphate:

Species : Rabbit
Exposure time : 24 h
Assessment : Not classified as hazardous.
Result : Non-irritating to the skin.

N-phenyl-1-naphthylamine:

Species : Rabbit
Assessment : Not classified
Result : none

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard

EASTMAN

Eastman(TM) Turbo Oil 2380

PRD / SDSUS / Z8 / 0001

Version	Revision Date:	SDS Number:	Date of last issue: 01/07/2021
1.3	04/07/2025	150000097793	Date of first issue: 09/06/2016

Serious eye damage/eye irritation

Not classified based on available information.

Product:

Remarks : No data available

Components:

N-Phenylbenzenamine reaction products with 2,4,4-trimethylpentene:

Species	:	Rabbit
Result	:	slight
Assessment	:	Not classified

Tricresyl phosphate:

Species	:	Rabbit
Assessment	:	Not classified

N-phenyl-1-naphthylamine:

Species	:	Rabbit
Result	:	slight
Assessment	:	Not classified

Respiratory or skin sensitization

Skin sensitization

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

Product:

Test Type	:	<** Phrase language not available: [Z8] CUST - N11.00900565 **>
Routes of exposure	:	Skin contact
Species	:	Humans
Assessment	:	Does not cause skin sensitization.
Result	:	Not a skin sensitizer.

Components:

Tricresyl phosphate:

Test Type	:	Skin Sensitization
Assessment	:	Not classified

N-phenyl-1-naphthylamine:

Assessment	:	Skin sensitization
Result	:	sensitizing

Germ cell mutagenicity

Not classified based on available information.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard

EASTMAN

Eastman(TM) Turbo Oil 2380

PRD / SDSUS / Z8 / 0001

Version	Revision Date:	SDS Number:	Date of last issue: 01/07/2021
1.3	04/07/2025	150000097793	Date of first issue: 09/06/2016

Product:

Genotoxicity in vitro : Remarks: No data available

Genotoxicity in vivo : Remarks: No data available

Components:

Tricresyl phosphate:

Genotoxicity in vitro : Test Type: various
Result: Based on available data, the classification criteria are not met.
Remarks: Not classified

Genotoxicity in vivo : Test Type: various
Result: Based on available data, the classification criteria are not met.

Carcinogenicity

Not classified based on available information.

Product:

Remarks : This information is not available.

IARC No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Not classified based on available information.

Product:

Effects on fertility : Remarks: No data available

Components:

Tricresyl phosphate:

Reproductive toxicity - Assessment : May damage the unborn child. Suspected of damaging fertility.

STOT-single exposure

Not classified based on available information.

Product:

Remarks : No data available

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard

EASTMAN

Eastman(TM) Turbo Oil 2380

PRD / SDSUS / Z8 / 0001

Version	Revision Date:	SDS Number:	Date of last issue: 01/07/2021
1.3	04/07/2025	150000097793	Date of first issue: 09/06/2016

Components:

Tricresyl phosphate:

Assessment : Based on available data, the classification criteria are not met.

STOT-repeated exposure

Not classified based on available information.

Product:

Remarks : No data available

Components:

Tricresyl phosphate:

Assessment : Based on available data, the classification criteria are not met.

N-phenyl-1-naphthylamine:

Assessment : Not classified

Repeated dose toxicity

Components:

Tricresyl phosphate:

Species : Rat
: 300 mg/l

Aspiration toxicity

Not classified based on available information.

Components:

Tricresyl phosphate:

Not classified

Experience with human exposure

Product:

Inhalation : Remarks: None known.

Skin contact : Remarks: None known.

Eye contact : Remarks: None known.

Ingestion : Remarks: None known.

Further information

Product:

Remarks : None known.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard

EASTMAN

Eastman(TM) Turbo Oil 2380

PRD / SDSUS / Z8 / 0001

Version	Revision Date:	SDS Number:	Date of last issue: 01/07/2021
1.3	04/07/2025	150000097793	Date of first issue: 09/06/2016

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Toxicity to fish : LC50 (Fish): Test substance: Read-across from a similar material
Remarks: Not classified as hazardous.
(limit of solubility in fresh water)

Toxicity to daphnia and other aquatic invertebrates : NOEC:
Test substance: Read-across from a similar material
Remarks: Not classified as hazardous.

Remarks: (limit of solubility in fresh water)

Toxicity to algae/aquatic plants : NOEC:
Test substance: Read-across from a similar material
Remarks: Not classified as hazardous.
(limit of solubility in fresh water)

Toxicity to fish (Chronic toxicity) : NOEC (Fish):
Test substance: Read-across from a similar material
Remarks: Not classified as hazardous.

Remarks: (limit of solubility in fresh water)

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC:
Test substance: Read-across from a similar material
Remarks: Not classified as hazardous.
(limit of solubility in fresh water)

Ecotoxicology Assessment

Acute aquatic toxicity : This product has no known ecotoxicological effects.

Chronic aquatic toxicity : This product has no known ecotoxicological effects.

Components:

Tricresyl phosphate:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0.6 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.146 mg/l
Exposure time: 48 h

M-Factor (Acute aquatic toxicity) : 1

N-phenyl-1-naphthylamine:

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard

EASTMAN

Eastman(TM) Turbo Oil 2380

PRD / SDSUS / Z8 / 0001

Version	Revision Date:	SDS Number:	Date of last issue: 01/07/2021
1.3	04/07/2025	150000097793	Date of first issue: 09/06/2016

Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): 0.44 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 0.30 - 0.68 mg/l Exposure time: 48 h
Toxicity to microorganisms	:	EC50 (Bacteria): Exposure time: 3 h

Persistence and degradability

Product:

Biodegradability	:	Biodegradation: 92.36 % Exposure time: 28 d Remarks: Readily biodegradable
------------------	---	--

Bioaccumulative potential

Product:

Bioaccumulation	:	Remarks: Mixture Not applicable
-----------------	---	------------------------------------

Components:

Tricresyl phosphate:

Bioaccumulation	:	Bioconcentration factor (BCF): 2,000
Partition coefficient: n-octanol/water	:	Pow: 860,000 log Pow: 5.93

Mobility in soil

Components:

Tricresyl phosphate:

Distribution among environmental compartments	:	log Koc: 4.31
---	---	---------------

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues	:	Dispose of in accordance with local regulations. It must undergo special treatment, e.g. at suitable disposal site, to comply with local regulations. Collect in plastic or metal containers for disposal. Where possible recycling is preferred to disposal or incineration. Do not dispose of waste into sewer. Since emptied containers retain product residue, follow label
---------------------	---	--

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard

EASTMAN

Eastman(TM) Turbo Oil 2380

PRD / SDSUS / Z8 / 0001

Version	Revision Date:	SDS Number:	Date of last issue: 01/07/2021
1.3	04/07/2025	150000097793	Date of first issue: 09/06/2016

warnings even after container is emptied.
In accordance with local and national regulations.

SECTION 14. TRANSPORT INFORMATION

International Regulations

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

49 CFR

Not regulated as a dangerous good

Special precautions for user

Not applicable

SECTION 15. REGULATORY INFORMATION

CERCLA Reportable Quantity

Listed substances in the product are at low enough levels to not be expected to exceed the RQ

SARA 304 Extremely Hazardous Substances Reportable Quantity

Listed substances in the product are at low enough levels to not be expected to exceed the RQ

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : No SARA Hazards

SARA 313 : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

California Prop. 65

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

The ingredients of this product are reported in the following inventories:

TCSI	: On the inventory, or in compliance with the inventory
TSCA	: All substances listed as active on the TSCA inventory
AIIC	: On the inventory, or in compliance with the inventory
DSL	: All components of this product are on the Canadian DSL

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard

EASTMAN

Eastman(TM) Turbo Oil 2380

PRD / SDSUS / Z8 / 0001

Version	Revision Date:	SDS Number:	Date of last issue: 01/07/2021
1.3	04/07/2025	150000097793	Date of first issue: 09/06/2016

ENCS	:	On the inventory, or in compliance with the inventory
ISHL	:	On the inventory, or in compliance with the inventory
KECI	:	On the inventory, or in compliance with the inventory
PICCS	:	On the inventory, or in compliance with the inventory
IECSC	:	On the inventory, or in compliance with the inventory
NZIoC	:	On the inventory, or in compliance with the inventory

TSCA list


No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

SECTION 16. OTHER INFORMATION

Further information

NFPA 704:



HMIS® IV:

HEALTH	*	1
FLAMMABILITY		1
PHYSICAL HAZARD		0

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized Sys-

SAFETY DATA SHEET

EASTMAN

according to the OSHA Hazard Communication Standard

Eastman(TM) Turbo Oil 2380

PRD / SDSUS / Z8 / 0001

Version	Revision Date:	SDS Number:	Date of last issue: 01/07/2021
1.3	04/07/2025	150000097793	Date of first issue: 09/06/2016

tem; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Revision Date : 04/07/2025

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / Z8