

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

**HUNTSMAN**

Enriching lives through innovation

## ARALDITE® 2011 RESIN

Version 1.3      Revision Date: 27.09.2021      SDS Number: 400001015903      Date of last issue: 15.06.2018  
Date of first issue: 23.01.2018

Print Date 14.09.2022

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name : ARALDITE® 2011 RESIN

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Adhesives

#### 1.3 Details of the supplier of the safety data sheet

Company : Huntsman Advanced Materials (Europe)BVBA  
Address : Everslaan 45  
3078 Everberg  
Belgium  
Telephone : +41 61 299 20 41  
Telefax : +41 61 299 20 40  
E-mail address of person responsible for the SDS : Global\_Product\_EHS\_AdMat@huntsman.com

#### 1.4 Emergency telephone number

Emergency telephone number : EUROPE: +32 35 75 1234  
France ORFILA: +33(0)145425959  
ASIA: +65 6336-6011  
China: +86 20 39377888  
+86 532 83889090  
India: + 91 22 42 87 5333  
Australia: 1800 786 152  
New Zealand: 0800 767 437  
USA: +1/800/424.9300

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

##### Classification (REGULATION (EC) No 1272/2008)

Skin irritation, Category 2      H315: Causes skin irritation.  
Eye irritation, Category 2      H319: Causes serious eye irritation.  
Skin sensitisation, Category 1      H317: May cause an allergic skin reaction.  
Long-term (chronic) aquatic hazard, Category 2      H411: Toxic to aquatic life with long lasting effects.

#### 2.2 Label elements

##### Labelling (REGULATION (EC) No 1272/2008)

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

**HUNTSMAN**

Enriching lives through innovation

## ARALDITE® 2011 RESIN

Version 1.3      Revision Date: 27.09.2021      SDS Number: 400001015903      Date of last issue: 15.06.2018  
Date of first issue: 23.01.2018

Print Date 14.09.2022

Hazard pictograms :



Signal word : Warning

Hazard statements : H315 Causes skin irritation.  
H317 May cause an allergic skin reaction.  
H319 Causes serious eye irritation.  
H411 Toxic to aquatic life with long lasting effects.

Precautionary statements : **Prevention:**  
P261 Avoid breathing mist or vapours.  
P264 Wash skin thoroughly after handling.  
P273 Avoid release to the environment.  
P280 Wear protective gloves/ eye protection/ face protection.  
**Response:**  
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.  
P391 Collect spillage.

Hazardous components which must be listed on the label:

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane

Formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol (BPFDE)

Bisphenol A - epoxy resins, number average MW >700 - <1100

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

#### Hazardous components

Chemical name	CAS-No. EC-No. Index-No.	Classification	Concentration (% w/w)

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

**HUNTSMAN**

Enriching lives through innovation

## ARALDITE® 2011 RESIN

Version 1.3      Revision Date: 27.09.2021      SDS Number: 400001015903      Date of last issue: 15.06.2018  
Date of first issue: 23.01.2018

Print Date 14.09.2022

	Registration number		
2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane	1675-54-3 216-823-5 603-073-00-2	Skin Irrit. 2; H315 Eye Irrit. 2; H319 Skin Sens. 1; H317 Aquatic Chronic 2; H411  specific concentration limit Skin Irrit. 2; H315 >= 5 % Eye Irrit. 2; H319 >= 5 %	>= 70 - < 90
Formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol (BPFDE)	- -	Skin Irrit. 2; H315 Skin Sens. 1; H317 Aquatic Chronic 2; H411	>= 2.5 - < 10
Bisphenol A - epoxy resins, number average MW >700 - <1100	25068-38-6 Polymer	Skin Irrit. 2; H315 Eye Irrit. 2; H319 Skin Sens. 1; H317	>= 1 - < 10

For explanation of abbreviations see section 16.

Both 25068-38-6 and 1675-54-3 can be used to describe the epoxy resin which is produced through the reaction of bisphenol A and epichlorohydrin

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

- General advice : Move out of dangerous area.  
Show this safety data sheet to the doctor in attendance.  
Treat symptomatically.  
Get medical attention if symptoms occur.
- Protection of first-aiders : First Aid responders should pay attention to self-protection and use the recommended protective clothing  
If potential for exposure exists refer to Section 8 for specific personal protective equipment.  
Avoid inhalation, ingestion and contact with skin and eyes.  
No action shall be taken involving any personal risk or without suitable training.  
It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.
- If inhaled : If inhaled, remove to fresh air.  
Get medical attention if symptoms occur.
- In case of skin contact : If skin irritation persists, call a physician.  
If on skin, rinse well with water.  
If on clothes, remove clothes.
- In case of eye contact : Immediately flush eye(s) with plenty of water.  
Remove contact lenses.  
Keep eye wide open while rinsing.

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

**HUNTSMAN**

Enriching lives through innovation

## ARALDITE® 2011 RESIN

Version	Revision Date:	SDS Number:	Date of last issue: 15.06.2018
1.3	27.09.2021	400001015903	Date of first issue: 23.01.2018

Print Date 14.09.2022

If eye irritation persists, consult a specialist.

If swallowed : Keep respiratory tract clear.  
Never give anything by mouth to an unconscious person.  
If symptoms persist, call a physician.

### 4.2 Most important symptoms and effects, both acute and delayed

None known.

### 4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically.

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

Suitable extinguishing media : Water spray  
Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical

Unsuitable extinguishing media : Exercise caution when using a high volume water jet as it may scatter and spread fire

### 5.2 Special hazards arising from the substance or mixture

Specific hazards during firefighting : Do not allow run-off from fire fighting to enter drains or water courses.

Hazardous combustion products : Carbon oxides  
Halogenated compounds  
Carbon dioxide (CO<sub>2</sub>)  
Carbon monoxide

### 5.3 Advice for firefighters

Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary.

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.  
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

**HUNTSMAN**

Enriching lives through innovation

## ARALDITE® 2011 RESIN

Version	Revision Date:	SDS Number:	Date of last issue: 15.06.2018
1.3	27.09.2021	400001015903	Date of first issue: 23.01.2018

Print Date 14.09.2022

### SECTION 6: Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.  
Refer to protective measures listed in sections 7 and 8.

#### 6.2 Environmental precautions

Environmental precautions : Prevent product from entering drains.  
Prevent further leakage or spillage if safe to do so.  
If the product contaminates rivers and lakes or drains inform respective authorities.

#### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).  
Keep in suitable, closed containers for disposal.

#### 6.4 Reference to other sections

For disposal considerations see section 13., See Section 1 for emergency contact information., For personal protection see section 8.

### SECTION 7: Handling and storage

#### 7.1 Precautions for safe handling

Advice on safe handling : Repeated or prolonged skin contact may cause skin irritation and/or dermatitis and sensitisation of susceptible persons.  
Persons suffering from asthma, eczema or skin problems should avoid contact, including dermal contact, with this product.  
Do not breathe vapours/dust.  
Avoid exposure - obtain special instructions before use.  
Avoid contact with skin and eyes.  
For personal protection see section 8.  
Smoking, eating and drinking should be prohibited in the application area.  
Dispose of rinse water in accordance with local and national regulations.

Advice on protection against fire and explosion : Normal measures for preventive fire protection.

Hygiene measures : When using do not eat or drink. When using do not smoke.  
Wash hands before breaks and at the end of workday.

#### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Keep in properly labelled containers.

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

**HUNTSMAN**

Enriching lives through innovation

## ARALDITE® 2011 RESIN

Version 1.3      Revision Date: 27.09.2021      SDS Number: 400001015903      Date of last issue: 15.06.2018  
Date of first issue: 23.01.2018

Print Date 14.09.2022

Advice on common storage : For incompatible materials please refer to Section 10 of this SDS.

Recommended storage temperature : 2 - 40 °C

Further information on storage stability : Stable under normal conditions.

### 7.3 Specific end use(s)

Specific use(s) : No data available

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Silica, amorphous, fumed, cryst.-free	112945-52-5	TWA (inhalable dust)	6 mg/m <sup>3</sup> (Silica)	GB EH40
		TWA (Respirable dust)	2.4 mg/m <sup>3</sup> (Silica)	GB EH40

#### Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane	Workers	Inhalation	Long-term systemic effects	4.93 mg/m <sup>3</sup>
	Workers	Dermal	Long-term systemic effects	0.75 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	0.87 mg/m <sup>3</sup>
	Consumers	Dermal	Long-term systemic effects	0.0893 mg/kg bw/day
Bis(2-ethylhexyl) adipate	Workers	Inhalation	Long-term systemic effects	17.8 mg/m <sup>3</sup>
	Workers	Dermal	Long-term systemic effects	25.5 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	4.4 mg/m <sup>3</sup>
	Consumers	Dermal	Long-term systemic effects	13 mg/kg

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

**HUNTSMAN**

Enriching lives through innovation

## ARALDITE® 2011 RESIN

Version 1.3      Revision Date: 27.09.2021      SDS Number: 400001015903      Date of last issue: 15.06.2018  
Date of first issue: 23.01.2018

Print Date 14.09.2022

				bw/day
	Consumers	Oral	Long-term systemic effects	1.7 mg/kg bw/day
Formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol (BPFGE)	Workers	Dermal	Acute local effects	0.0083 mg/cm <sup>2</sup>
	Workers	Dermal	Long-term systemic effects	104.15 mg/kg
	Workers	Inhalation	Long-term systemic effects	29.39 mg/m <sup>3</sup>
	Consumers	Dermal	Long-term systemic effects	62.5 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	8.7 mg/m <sup>3</sup>
	Consumers	Oral	Long-term systemic effects	6.25 mg/kg bw/day
Silica, amorphous, fumed, cryst.-free	Workers	Inhalation	Long-term systemic effects	4 mg/m <sup>3</sup>

### Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane	Fresh water	0.006 mg/l
	Marine water	0.001 mg/l
	Fresh water sediment	0.341 mg/kg dry weight (d.w.)
	Marine sediment	0.034 mg/kg dry weight (d.w.)
	Soil	0.065 mg/kg dry weight (d.w.)
	Sewage treatment plant	10 mg/l
	Secondary Poisoning	11 mg/kg
Bis(2-ethylhexyl) adipate	Soil	0.865 mg/kg dry weight (d.w.)
Formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol (BPFGE)	Fresh water	0.003 mg/l
Remarks:	Assessment Factors	
	Marine water	0 mg/l
	Assessment Factors	
	Intermittent use/release	0.0254 mg/l

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

**HUNTSMAN**

Enriching lives through innovation

## ARALDITE® 2011 RESIN

Version 1.3      Revision Date: 27.09.2021      SDS Number: 400001015903      Date of last issue: 15.06.2018  
Date of first issue: 23.01.2018

Print Date 14.09.2022

Assessment Factors		
	Fresh water sediment	0.294 mg/kg dry weight (d.w.)
Equilibrium method		
	Marine sediment	0.0294 mg/kg dry weight (d.w.)
Equilibrium method		
	Soil	0.237 mg/kg dry weight (d.w.)
Equilibrium method		
	Sewage treatment plant	10 mg/l
Assessment Factors		

### 8.2 Exposure controls

#### Personal protective equipment

Eye protection : Eye wash bottle with pure water  
Tightly fitting safety goggles  
Wear face-shield and protective suit for abnormal processing problems.

#### Hand protection

Material : butyl-rubber  
Break through time : > 8 h

Material : Solvent-resistant gloves (butyl-rubber)

Material : Nitrile rubber  
Break through time : 10 - 480 min

Material : Neoprene gloves

Remarks : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Skin and body protection : Impervious clothing  
Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Respiratory protection : Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines. Equipment should conform to EN 14387

Filter type : Combined particulates and organic vapour type (A-P)

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

**HUNTSMAN**

Enriching lives through innovation

## ARALDITE® 2011 RESIN

Version	Revision Date:	SDS Number:	Date of last issue: 15.06.2018
1.3	27.09.2021	400001015903	Date of first issue: 23.01.2018

Print Date 14.09.2022

### SECTION 9: Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties

Physical state	: paste
Colour	: transparent
Odour	: slight
Odour Threshold	: No data is available on the product itself.
pH	: ca. 6 (20 °C) Concentration: 500 g/l
Melting point/freezing point	: No data available
Boiling point	: > 200 °C
Flash point	: 210 °C Method: Pensky-Martens closed cup 260 °C Method: Cleveland open cup
Flammability (solid, gas)	: No data is available on the product itself.
Upper explosion limit / Upper flammability limit	: No data is available on the product itself.
Lower explosion limit / Lower flammability limit	: No data is available on the product itself.
Vapour pressure	: < 0.001 hPa (20 °C)
Relative vapour density	: No data is available on the product itself.
Relative density	: No data is available on the product itself.
Density	: 1.15 g/cm <sup>3</sup> (25 °C)
Solubility(ies)	
Water solubility	: practically insoluble (20 °C)
Solubility in other solvents	: No data is available on the product itself.
Partition coefficient: n-octanol/water	: No data is available on the product itself.
Auto-ignition temperature	: No data is available on the product itself.
Decomposition temperature	: > 200 °C
Viscosity	

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

**HUNTSMAN**

Enriching lives through innovation

## ARALDITE® 2011 RESIN

Version	Revision Date:	SDS Number:	Date of last issue: 15.06.2018
1.3	27.09.2021	400001015903	Date of first issue: 23.01.2018

Print Date 14.09.2022

Viscosity, dynamic : 30,000 - 50,000 mPa.s (25 °C)

### 9.2 Other information

Explosive properties : No data is available on the product itself.  
Oxidizing properties : No data is available on the product itself.  
Burning rate : No data is available on the product itself.  
Evaporation rate : No data is available on the product itself.  
Molecular weight : No data available

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

No dangerous reaction known under conditions of normal use.

### 10.2 Chemical stability

Stable under normal conditions.

### 10.3 Possibility of hazardous reactions

Hazardous reactions : No hazards to be specially mentioned.

### 10.4 Conditions to avoid

Conditions to avoid : None known.

### 10.5 Incompatible materials

Materials to avoid : Strong acids  
Strong bases  
Strong oxidizing agents

### 10.6 Hazardous decomposition products

Hazardous decomposition products : carbon dioxide  
carbon monoxide  
Halogenated compounds

## SECTION 11: Toxicological information

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

##### Components:

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:

Acute oral toxicity : LD50 (Rat, female): > 2,000 mg/kg  
Method: OECD Test Guideline 420  
Assessment: The substance or mixture has no acute oral toxicity  
Remarks: No mortality observed at this dose.

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

**HUNTSMAN**

Enriching lives through innovation

## ARALDITE® 2011 RESIN

Version	Revision Date:	SDS Number:	Date of last issue: 15.06.2018
1.3	27.09.2021	400001015903	Date of first issue: 23.01.2018

Print Date 14.09.2022

Formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol (BPFDE):

Acute oral toxicity : LD50 (Rat, male and female): > 5,000 mg/kg  
Method: OECD Test Guideline 401

Bisphenol A - epoxy resins, number average MW >700 - <1100:

Acute oral toxicity : LD50 (Rat, female): > 2,000 mg/kg  
Method: OECD Test Guideline 420  
Assessment: The substance or mixture has no acute oral toxicity

Acute inhalation toxicity : No data available

### Components:

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:

Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg  
Method: OECD Test Guideline 402  
Assessment: The substance or mixture has no acute dermal toxicity

Formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol (BPFDE):

Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg  
Method: OECD Test Guideline 402  
Assessment: The substance or mixture has no acute dermal toxicity

Bisphenol A - epoxy resins, number average MW >700 - <1100:

Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg  
Method: OECD Test Guideline 402  
Assessment: The substance or mixture has no acute dermal toxicity

Acute toxicity (other routes of administration) : No data available

### **Skin corrosion/irritation**

#### Components:

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:

Species: Rabbit  
Exposure time: 4 h  
Assessment: Irritating to skin.  
Method: OECD Test Guideline 404  
Result: Irritating to skin.

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

**HUNTSMAN**

Enriching lives through innovation

## ARALDITE® 2011 RESIN

Version	Revision Date:	SDS Number:	Date of last issue: 15.06.2018
1.3	27.09.2021	400001015903	Date of first issue: 23.01.2018

Print Date 14.09.2022

Formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol (BPFEDGE):

Species: Rabbit

Method: OECD Test Guideline 404

Result: Irritating to skin.

Bisphenol A - epoxy resins, number average MW >700 - <1100:

Method: OECD Test Guideline 404

Result: Skin irritation

### Serious eye damage/eye irritation

#### Components:

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:

Species: Rabbit

Assessment: Irritating to eyes.

Method: OECD Test Guideline 405

Result: Irritating to eyes.

Formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol (BPFEDGE):

Species: Rabbit

Method: OECD Test Guideline 405

Result: No eye irritation

Bisphenol A - epoxy resins, number average MW >700 - <1100:

Species: Rabbit

Method: OECD Test Guideline 405

Result: Eye irritation

### Respiratory or skin sensitisation

#### Components:

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:

Test Type: Local lymph node assay (LLNA)

Exposure routes: Skin

Species: Mouse

Method: OECD Test Guideline 429

Result: The product is a skin sensitiser, sub-category 1B.

Formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol (BPFEDGE):

Test Type: Local lymph node assay (LLNA)

Exposure routes: Skin

Species: Mouse

Method: OECD Test Guideline 429

Result: May cause sensitisation by skin contact.

Bisphenol A - epoxy resins, number average MW >700 - <1100:

Exposure routes: Skin

Species: Guinea pig

Method: OECD Test Guideline 406

Result: May cause sensitisation by skin contact.

Assessment: No data available

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

**HUNTSMAN**

Enriching lives through innovation

## ARALDITE® 2011 RESIN

Version 1.3      Revision Date: 27.09.2021      SDS Number: 400001015903      Date of last issue: 15.06.2018  
Date of first issue: 23.01.2018

Print Date 14.09.2022

### Germ cell mutagenicity

#### Components:

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test  
Test system: mouse lymphoma cells  
Metabolic activation: without metabolic activation  
Result: positive

: Test Type: reverse mutation assay  
Test system: Salmonella typhimurium  
Metabolic activation: with and without metabolic activation  
Method: Mutagenicity (Salmonella typhimurium - reverse mutation assay)  
Result: negative

Formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol (BPFEDGE):

Genotoxicity in vitro : Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 471  
Result: positive

: Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 473  
Result: positive

: Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 476  
Result: positive

Bisphenol A - epoxy resins, number average MW >700 - <1100:

Genotoxicity in vitro : Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 476  
Result: Positive results were obtained in some in vitro tests.

: Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 471  
Result: negative

#### Components:

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:

Genotoxicity in vivo : Test Type: in vivo assay  
Test species: Mouse (male)  
Cell type: Germ  
Application Route: Oral

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

**HUNTSMAN**

Enriching lives through innovation

## ARALDITE® 2011 RESIN

Version	Revision Date:	SDS Number:	Date of last issue: 15.06.2018
1.3	27.09.2021	400001015903	Date of first issue: 23.01.2018

Print Date 14.09.2022

Dose: 3333, 10000 mg/kg  
Result: negative

Test Type: gene mutation test  
Test species: Rat (male)  
Cell type: Somatic  
Application Route: Oral  
Dose: 50,250,500,1000 mg/kg bw/day  
Method: OECD Test Guideline 488  
Result: negative

Formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol (BPFEDGE):

Genotoxicity in vivo : Cell type: Somatic  
Application Route: Oral  
Exposure time: 48 h  
Dose: 2000 mg/kg  
Method: OECD Test Guideline 474  
Result: negative

Cell type: Somatic  
Application Route: Oral  
Dose: 2000 mg/kg  
Method: OECD Test Guideline 486  
Result: negative

Bisphenol A - epoxy resins, number average MW >700 - <1100:

Genotoxicity in vivo : Cell type: Germ  
Application Route: Oral  
Method: OECD Test Guideline 478  
Result: negative

Cell type: Somatic  
Application Route: Oral  
Dose: 0 - 5000 mg/kg  
Method: OPPTS 870.5395  
Result: negative

Germ cell mutagenicity-  
Assessment : No data available

### Carcinogenicity

#### Components:

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:  
Species: Rat, male  
Application Route: Oral  
Exposure time: 24 month(s)  
Dose: 0, 2, 15, or 100 mg/kg bw/day

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

**HUNTSMAN**

Enriching lives through innovation

## ARALDITE® 2011 RESIN

Version 1.3      Revision Date: 27.09.2021      SDS Number: 400001015903      Date of last issue: 15.06.2018  
Date of first issue: 23.01.2018

Print Date 14.09.2022

Frequency of Treatment: 7 days/week  
No observed adverse effect level: 15 mg/kg bw/day  
Method: OECD Test Guideline 453  
Result: negative  
Target Organs: Digestive organs

Species: Mouse, male  
Application Route: Dermal  
Exposure time: 24 month(s)  
Dose: 0, 0.1, 10, 100 mg/kg bw/day  
Frequency of Treatment: 3 days/week  
No-observed-effect level: 0.1 mg/kg body weight  
Method: OECD Test Guideline 453  
Result: negative  
Target Organs: Digestive organs

Species: Rat, female  
Application Route: Dermal  
Exposure time: 24 month(s)  
Dose: 0.1, 100, 1000 mg/kg bw/day  
Frequency of Treatment: 5 days/week  
No-observed-effect level: 100 mg/kg body weight  
Method: OECD Test Guideline 453  
Result: negative

Species: Rat, female  
Application Route: Oral  
Exposure time: 24 month(s)  
Dose: 0, 2, 15, or 100 mg/kg bw/day  
Frequency of Treatment: 7 days/week  
No observed adverse effect level: 100 mg/kg bw/day  
Method: OECD Test Guideline 453  
Result: negative  
Target Organs: Digestive organs

Species: Rat, females  
Application Route: Oral  
Exposure time: 24 month(s)  
Dose: 0, 2, 15, or 100 mg/kg bw/day  
Frequency of Treatment: 7 days/week  
No-observed-effect level: 2 mg/kg bw/day  
Method: OECD Test Guideline 453  
Result: negative  
Target Organs: Digestive organs

Bisphenol A - epoxy resins, number average MW >700 - <1100:  
Species: Rat, male and female  
Application Route: Oral  
Exposure time: 24 month(s)  
Dose: 15 mg/kg  
Frequency of Treatment: 7 daily  
Method: OECD Test Guideline 453  
Result: negative

Carcinogenicity - : No data available

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

**HUNTSMAN**

Enriching lives through innovation

## ARALDITE® 2011 RESIN

Version	Revision Date:	SDS Number:	Date of last issue: 15.06.2018
1.3	27.09.2021	400001015903	Date of first issue: 23.01.2018

Print Date 14.09.2022

Assessment

### Reproductive toxicity

#### Components:

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:

Effects on fertility : Test Type: Two-generation study  
Species: Rat, male and female  
Application Route: Oral  
Dose: 0, 50, 180, 540 or 750 milligram per kilogram  
Duration of Single Treatment: 238 d  
Frequency of Treatment: 1 daily  
General Toxicity - Parent: No-observed-effect level: 540 mg/kg body weight  
General Toxicity F1: No-observed-effect level: 750 mg/kg body weight  
Symptoms: No adverse effects  
Method: OECD Test Guideline 416  
Result: No effects on fertility and early embryonic development were detected.

Formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol (BPFDEG):

Test Type: Two-generation study  
Species: Rat, male and female  
Application Route: Oral  
Dose: 0, 50, 180, 540 or 750 mg/kg/  
Duration of Single Treatment: 238 d  
General Toxicity - Parent: No-observed-effect level: 750  
General Toxicity F1: No-observed-effect level: 750 mg/kg body weight  
General Toxicity F2: NOAEL: 750 mg/kg body weight  
Method: OECD Test Guideline 416  
Result: No effects on fertility and early embryonic development were detected.  
GLP: yes  
Remarks: Information given is based on data obtained from similar substances.

Bisphenol A - epoxy resins, number average MW >700 - <1100:

Species: Rat, male and female  
Application Route: Oral  
General Toxicity - Parent: No-observed-effect level: 750 mg/kg body weight  
General Toxicity F1: No-observed-effect level: 750 mg/kg body weight  
Method: OECD Test Guideline 416  
Result: No effects on fertility and early embryonic development were detected.

#### Components:

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:

Effects on foetal development : Species: Rabbit, female  
Application Route: Dermal

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

**HUNTSMAN**

Enriching lives through innovation

## ARALDITE® 2011 RESIN

Version	Revision Date:	SDS Number:	Date of last issue: 15.06.2018
1.3	27.09.2021	400001015903	Date of first issue: 23.01.2018

Print Date 14.09.2022

Dose: 0, 30, 100 or 300 milligram per kilogram  
Duration of Single Treatment: 28 d  
Frequency of Treatment: 1 daily  
General Toxicity Maternal: No observed adverse effect level:  
30 mg/kg body weight  
Developmental Toxicity: No observed adverse effect level:  
300 mg/kg body weight  
Method: Other guidelines  
Result: No teratogenic effects

Test Type: Pre-natal  
Species: Rabbit, female  
Application Route: Oral  
Dose: 0, 20, 60 or 180 milligram per kilogram  
Duration of Single Treatment: 13 d  
Frequency of Treatment: 1 daily  
General Toxicity Maternal: No observed adverse effect level:  
60 mg/kg body weight  
Developmental Toxicity: No observed adverse effect level:  
180 mg/kg body weight  
Method: OECD Test Guideline 414  
Result: No teratogenic effects

Test Type: Pre-natal  
Species: Rat, female  
Application Route: Oral  
Dose: 0, 60, 180 and 540 milligram per kilogram  
Duration of Single Treatment: 10 d  
Frequency of Treatment: 1 daily  
General Toxicity Maternal: No observed adverse effect level:  
180 mg/kg body weight  
Developmental Toxicity: No observed adverse effect level: >  
540 mg/kg body weight  
Method: OECD Test Guideline 414  
Result: No teratogenic effects

Bisphenol A - epoxy resins, number average MW >700 - <1100:

Species: Rabbit, female  
Application Route: Dermal  
General Toxicity Maternal: No observed adverse effect level:  
30 mg/kg body weight  
Method: Other guidelines  
Result: No teratogenic effects

Species: Rabbit, female  
Application Route: Oral  
General Toxicity Maternal: No observed adverse effect level:  
60 mg/kg body weight  
Method: OECD Test Guideline 414  
Result: No teratogenic effects

Species: Rat, female  
Application Route: Oral  
General Toxicity Maternal: No observed adverse effect level:  
180 mg/kg body weight

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

**HUNTSMAN**

Enriching lives through innovation

## ARALDITE® 2011 RESIN

Version	Revision Date:	SDS Number:	Date of last issue: 15.06.2018
1.3	27.09.2021	400001015903	Date of first issue: 23.01.2018

Print Date 14.09.2022

Method: OECD Test Guideline 414

Result: No teratogenic effects

Reproductive toxicity - Assessment : No data available

### STOT - single exposure

No data available

### STOT - repeated exposure

No data available

### Repeated dose toxicity

#### Components:

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:

Species: Rat, male and female

NOAEL: 50 mg/kg

Application Route: oral (gavage)

Exposure time: 14 Weeks Number of exposures: 7 d

Dose: 0, 50, 250, 1000 mg/kg/day

Method: OECD Test Guideline 408

Species: Rat, male and female

NOAEL:  $\geq$  10 mg/kg

Application Route: Skin contact

Exposure time: 13 Weeks Number of exposures: 5 d

Dose: 0, 10, 100, 1000 mg/kg/day

Method: OECD Test Guideline 411

Species: Mouse, male

NOAEL: 100 mg/kg

Application Route: Skin contact

Exposure time: 13 Weeks Number of exposures: 3 d

Dose: 0, 1, 10, 100 mg/kg/day

Method: OECD Test Guideline 411

Formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol (BPF/DGE):

Species: Rat, male and female

NOAEL: 250 mg/kg

Application Route: Ingestion

Exposure time: 13 Weeks Number of exposures: 7 d

Method: Subchronic toxicity

Bisphenol A - epoxy resins, number average MW  $>700$  -  $<1100$ :

Species: Rat, male and female

NOAEL: 50 mg/kg

Application Route: Ingestion

Exposure time: 14 Weeks Number of exposures: 7 d

Method: Subchronic toxicity

Species: Rat, male and female

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

**HUNTSMAN**

Enriching lives through innovation

## ARALDITE® 2011 RESIN

Version	Revision Date:	SDS Number:	Date of last issue: 15.06.2018
1.3	27.09.2021	400001015903	Date of first issue: 23.01.2018

Print Date 14.09.2022

NOEL: 10 mg/kg  
Application Route: Skin contact  
Exposure time: 13 Weeks Number of exposures: 5 d  
Method: Subchronic toxicity

Repeated dose toxicity - Assessment : No data available

### Aspiration toxicity

No data available

## 11.2 Information on other hazards

### Endocrine disrupting properties

#### Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### Experience with human exposure

General Information: No data available

Inhalation: No data available

Skin contact: No data available

Eye contact: No data available

Ingestion: No data available

### Toxicology, Metabolism, Distribution

No data available

### Neurological effects

No data available

### Further information

Ingestion: No data available

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

**HUNTSMAN**

Enriching lives through innovation

## ARALDITE® 2011 RESIN

Version 1.3      Revision Date: 27.09.2021      SDS Number: 400001015903      Date of last issue: 15.06.2018  
Date of first issue: 23.01.2018

Print Date 14.09.2022

### SECTION 12: Ecological information

#### 12.1 Toxicity

##### Components:

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 2 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 1.8 mg/l  
Exposure time: 48 h  
Test Type: static test  
Test substance: Fresh water  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 : 11 mg/l  
Exposure time: 72 h  
Test Type: static test  
Test substance: Fresh water  
Method: EPA-660/3-75-009

NOEC : 4.2 mg/l  
Exposure time: 72 h  
Test Type: static test  
Test substance: Fresh water  
Method: EPA-660/3-75-009

Toxicity to microorganisms : IC50 (activated sludge): > 100 mg/l  
Exposure time: 3 h  
Test Type: static test  
Test substance: Fresh water

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 0.3 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)  
Test Type: semi-static test  
Test substance: Fresh water  
Method: OECD Test Guideline 211

Ecotoxicology Assessment  
Chronic aquatic toxicity : Toxic to aquatic life with long lasting effects.

Formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol (BPFGE):

Toxicity to fish : LC50 (Fish): 2.54 mg/l  
Exposure time: 96 h  
Test substance: Fresh water  
Method: Calculation method

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 2.55 mg/l  
Exposure time: 48 h  
Method: Calculation method

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

**HUNTSMAN**

Enriching lives through innovation

## ARALDITE® 2011 RESIN

Version	Revision Date:	SDS Number:	Date of last issue: 15.06.2018
1.3	27.09.2021	400001015903	Date of first issue: 23.01.2018

Print Date 14.09.2022

Toxicity to algae/aquatic plants : EC50 (Selenastrum capricornutum (green algae)): > 1.8 mg/l  
Exposure time: 72 h  
Test Type: static test  
Analytical monitoring: yes  
Test substance: Fresh water  
Method: OECD Test Guideline 201  
GLP: no

Toxicity to microorganisms : IC50 (activated sludge): > 100 mg/l  
Exposure time: 3 h  
Test Type: static test  
Analytical monitoring: no  
Test substance: Fresh water  
GLP: no

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 0.3 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)  
Test Type: semi-static test  
Analytical monitoring: no  
Test substance: Fresh water  
Method: OECD Test Guideline 211  
GLP: yes  
Remarks: Information given is based on data obtained from similar substances.

Bisphenol A - epoxy resins, number average MW >700 - <1100:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l  
Exposure time: 96 h  
Test Type: static test  
Test substance: Fresh water  
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l  
Exposure time: 48 h  
Test Type: static test  
Test substance: Fresh water  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EgC50 (Selenastrum capricornutum (green algae)): > 100 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

### 12.2 Persistence and degradability

#### Components:

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:

Biodegradability : Test Type: aerobic  
Inoculum: activated sludge, non-adapted  
Concentration: 20 mg/l  
Result: Not readily biodegradable.  
Biodegradation: 5 %  
Exposure time: 28 d

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

**HUNTSMAN**

Enriching lives through innovation

## ARALDITE® 2011 RESIN

Version	Revision Date:	SDS Number:	Date of last issue: 15.06.2018
1.3	27.09.2021	400001015903	Date of first issue: 23.01.2018

Print Date 14.09.2022

Method: OECD Test Guideline 301F

Stability in water : Degradation half life (DT50): 4.83 d (25 °C)  
pH: 4  
Method: OECD Test Guideline 111  
Remarks: Fresh water

Degradation half life (DT50): 7.1 d (25 °C)  
pH: 9  
Method: OECD Test Guideline 111  
Remarks: Fresh water

Degradation half life (DT50): 3.58 d (25 °C)  
pH: 7  
Method: OECD Test Guideline 111  
Remarks: Fresh water

Formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol (BPFEDGE):

Biodegradability : Test Type: aerobic  
Inoculum: activated sludge  
Concentration: 3 mg/l  
Result: Not biodegradable  
Biodegradation: ca. 0 %  
Exposure time: 28 d  
Method: Directive 67/548/EEC Annex V, C.4.E.

Bisphenol A - epoxy resins, number average MW >700 - <1100:

Biodegradability : Test Type: aerobic  
Inoculum: Sewage (STP effluent)  
Concentration: 20 mg/l  
Result: Not biodegradable  
Biodegradation: 5 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301F

Stability in water : Degradation half life (DT50): 4.83 d (25 °C)  
pH: 4  
Method: OECD Test Guideline 111  
Remarks: Fresh water

Degradation half life (DT50): 7.1 d (25 °C)  
pH: 9  
Method: OECD Test Guideline 111  
Remarks: Fresh water

Degradation half life (DT50): 3.58 d (25 °C)  
pH: 7  
Method: OECD Test Guideline 111  
Remarks: Fresh water

### 12.3 Bioaccumulative potential

#### Components:

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

**HUNTSMAN**

Enriching lives through innovation

## ARALDITE® 2011 RESIN

Version	Revision Date:	SDS Number:	Date of last issue: 15.06.2018
1.3	27.09.2021	400001015903	Date of first issue: 23.01.2018

Print Date 14.09.2022

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:

Bioaccumulation : Bioconcentration factor (BCF): 31  
Remarks: Does not bioaccumulate.

Partition coefficient: n-octanol/water : log Pow: 3.242 (25 °C)  
pH: 7.1  
Method: OECD Test Guideline 117

Formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol (BPFGE):

Bioaccumulation : Species: Fish  
Bioconcentration factor (BCF): 150  
Remarks: Does not bioaccumulate.

Partition coefficient: n-octanol/water : log Pow: 2.7 - 3.6  
Method: OECD Test Guideline 117  
GLP: yes

Bisphenol A - epoxy resins, number average MW >700 - <1100:

Bioaccumulation : Species: Fish  
Bioconcentration factor (BCF): 31  
Remarks: Does not bioaccumulate.

### 12.4 Mobility in soil

#### Components:

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:

Distribution among environmental compartments : Koc: 445

Formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol (BPFGE):

Distribution among environmental compartments : Koc: 4460  
Method: OECD Test Guideline 121

Bisphenol A - epoxy resins, number average MW >700 - <1100:

Distribution among environmental compartments : Koc: 445

### 12.5 Results of PBT and vPvB assessment

#### Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

### 12.6 Endocrine disrupting properties

#### Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

**HUNTSMAN**

Enriching lives through innovation

## ARALDITE® 2011 RESIN

Version	Revision Date:	SDS Number:	Date of last issue: 15.06.2018
1.3	27.09.2021	400001015903	Date of first issue: 23.01.2018

Print Date 14.09.2022

### 12.7 Other adverse effects

**Product:**

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.  
Toxic to aquatic life with long lasting effects.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Product : Dispose of contents and container in accordance with all local, regional, national and international regulations.  
Do not dispose of waste into sewer.  
Do not contaminate ponds, waterways or ditches with chemical or used container.

Contaminated packaging : Empty remaining contents.  
Dispose of as unused product.  
Do not re-use empty containers.

## SECTION 14: Transport information

### 14.1 UN number or ID number

ADR : UN 3082  
RID : UN 3082  
IMDG : UN 3082  
IATA : UN 3082

### 14.2 UN proper shipping name

ADR : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
(BISPHENOL A EPOXY RESIN, BISPHENOL F EPOXY RESIN)

RID : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
(BISPHENOL A EPOXY RESIN, BISPHENOL F EPOXY RESIN)

IMDG : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
(BISPHENOL A EPOXY RESIN, BISPHENOL F EPOXY RESIN)

IATA : Environmentally hazardous substance, liquid, n.o.s.  
(BISPHENOL A EPOXY RESIN, BISPHENOL F EPOXY RESIN)

### 14.3 Transport hazard class(es)

ADR : 9

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

**HUNTSMAN**

Enriching lives through innovation

## ARALDITE® 2011 RESIN

Version	Revision Date:	SDS Number:	Date of last issue: 15.06.2018
1.3	27.09.2021	400001015903	Date of first issue: 23.01.2018

Print Date 14.09.2022

**RID** : 9

**IMDG** : 9

**IATA** : 9

### 14.4 Packing group

#### ADR

Packing group : III  
Classification Code : M6  
Hazard Identification Number : 90  
Labels : 9  
Tunnel restriction code : (-)

#### RID

Packing group : III  
Classification Code : M6  
Hazard Identification Number : 90  
Labels : 9

#### IMDG

Packing group : III  
Labels : 9  
EmS Code : F-A, S-F

#### IATA (Cargo)

Packing instruction (cargo aircraft) : 964  
Packing instruction (LQ) : Y964  
Packing group : III  
Labels : Miscellaneous

#### IATA (Passenger)

Packing instruction (passenger aircraft) : 964  
Packing instruction (LQ) : Y964  
Packing group : III  
Labels : Miscellaneous

### 14.5 Environmental hazards

#### ADR

Environmentally hazardous : yes

#### RID

Environmentally hazardous : yes

#### IMDG

Marine pollutant : yes

#### IATA (Passenger)

Environmentally hazardous : yes

#### IATA (Cargo)

Environmentally hazardous : yes

### 14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

**HUNTSMAN**

Enriching lives through innovation

## ARALDITE® 2011 RESIN

Version	Revision Date:	SDS Number:	Date of last issue: 15.06.2018
1.3	27.09.2021	400001015903	Date of first issue: 23.01.2018

Print Date 14.09.2022

Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

### 14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - List of substances subject to authorisation (Annex XIV) : Not applicable

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59). : This product does not contain substances of very high concern (Regulation (EC) No 1907/2006 (REACH), Article 57).

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

E2 ENVIRONMENTAL HAZARDS

Other regulations:

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

#### The components of this product are reported in the following inventories:

DSL : All components of this product are on the Canadian DSL

AIIC : On the inventory, or in compliance with the inventory

NZIoC : On the inventory, or in compliance with the inventory

ENCS : On the inventory, or in compliance with the inventory

KECI : On the inventory, or in compliance with the inventory

PICCS : On the inventory, or in compliance with the inventory

IECSC : On the inventory, or in compliance with the inventory

TCSI : On the inventory, or in compliance with the inventory

TSCA : All substances listed as active on the TSCA inventory

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

**HUNTSMAN**

Enriching lives through innovation

## ARALDITE® 2011 RESIN

Version	Revision Date:	SDS Number:	Date of last issue: 15.06.2018
1.3	27.09.2021	400001015903	Date of first issue: 23.01.2018

Print Date 14.09.2022

### Inventories

AICS (Australia), AIIC (Australia), DSL (Canada), IECSC (China), ENCS (Japan), KECI (Korea), NZIOC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (United States of America (USA))

### 15.2 Chemical safety assessment

Chemical Safety Assessments for all substances in this product are either Complete or Not applicable.

## SECTION 16: Other information

### Full text of H-Statements

H315 : Causes skin irritation.  
H317 : May cause an allergic skin reaction.  
H319 : Causes serious eye irritation.  
H411 : Toxic to aquatic life with long lasting effects.

### Full text of other abbreviations

Aquatic Chronic : Long-term (chronic) aquatic hazard  
Eye Irrit. : Eye irritation  
Skin Irrit. : Skin irritation  
Skin Sens. : Skin sensitisation  
GB EH40 : UK. EH40 WEL - Workplace Exposure Limits  
GB EH40 / TWA : Long-term exposure limit (8-hour TWA reference period)

### Further information

#### Classification of the mixture:

Skin Irrit. 2	H315
Eye Irrit. 2	H319
Skin Sens. 1	H317
Aquatic Chronic 2	H411

#### Classification procedure:

Calculation method
Calculation method
Calculation method
Calculation method

While the information and recommendations in this publication are to the best of our knowledge, information and belief accurate at the date of publication, NOTHING HEREIN IS TO BE CONSTRUED AS A WARRANTY, EXPRESS OR OTHERWISE.

IN ALL CASES, IT IS THE RESPONSIBILITY OF THE USER TO DETERMINE THE APPLICABILITY OF SUCH INFORMATION AND RECOMMENDATIONS AND THE SUITABILITY OF ANY PRODUCT FOR ITS OWN PARTICULAR PURPOSE.

THE PRODUCT MAY PRESENT HAZARDS AND SHOULD BE USED WITH CAUTION. WHILE CERTAIN HAZARDS ARE DESCRIBED IN THIS PUBLICATION, NO GUARANTEE IS MADE THAT THESE ARE THE ONLY HAZARDS THAT EXIST.

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

**HUNTSMAN**

Enriching lives through innovation

## ARALDITE® 2011 RESIN

Version	Revision Date:	SDS Number:	Date of last issue: 15.06.2018
1.3	27.09.2021	400001015903	Date of first issue: 23.01.2018

Print Date 14.09.2022

Hazards, toxicity and behaviour of the products may differ when used with other materials and are dependent upon the manufacturing circumstances or other processes. Such hazards, toxicity and behaviour should be determined by the user and made known to handlers, processors and end users.

The trademarks above are the property of Huntsman Corporation or an affiliate thereof.

NO PERSON OR ORGANIZATION EXCEPT A DULY AUTHORIZED HUNTSMAN EMPLOYEE IS AUTHORIZED TO PROVIDE OR MAKE AVAILABLE DATA SHEETS FOR HUNTSMAN PRODUCTS. DATA SHEETS FROM UNAUTHORIZED SOURCES MAY CONTAIN INFORMATION THAT IS NO LONGER CURRENT OR ACCURATE.

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

**HUNTSMAN**

Enriching lives through innovation

## ARALDITE® 2011 HARDENER

Version	Revision Date:	SDS Number:	Date of last issue: 24.01.2018
1.1	27.09.2021	400001015904	Date of first issue: 24.01.2018

Print Date 14.09.2022

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name : ARALDITE® 2011 HARDENER

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Hardener

#### 1.3 Details of the supplier of the safety data sheet

Company : Huntsman Advanced Materials (Europe)BVBA  
Address : Everslaan 45  
3078 Everberg  
Belgium  
Telephone : +41 61 299 20 41  
Telefax : +41 61 299 20 40  
E-mail address of person responsible for the SDS : Global\_Product\_EHS\_AdMat@huntsman.com

#### 1.4 Emergency telephone number

Emergency telephone number : EUROPE: +32 35 75 1234  
France ORFILA: +33(0)145425959  
ASIA: +65 6336-6011  
China: +86 20 39377888  
+86 532 83889090  
India: + 91 22 42 87 5333  
Australia: 1800 786 152  
New Zealand: 0800 767 437  
USA: +1/800/424.9300

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

##### Classification (REGULATION (EC) No 1272/2008)

Skin corrosion, Sub-category 1C	H314: Causes severe skin burns and eye damage.
Serious eye damage, Category 1	H318: Causes serious eye damage.
Skin sensitisation, Category 1	H317: May cause an allergic skin reaction.

#### 2.2 Label elements

##### Labelling (REGULATION (EC) No 1272/2008)

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

**HUNTSMAN**

Enriching lives through innovation

## ARALDITE® 2011 HARDENER

Version 1.1      Revision Date: 27.09.2021      SDS Number: 400001015904      Date of last issue: 24.01.2018  
Date of first issue: 24.01.2018

Print Date 14.09.2022

Hazard pictograms :



Signal word : Danger

Hazard statements : H314 Causes severe skin burns and eye damage.  
H317 May cause an allergic skin reaction.

Precautionary statements : **Prevention:**  
P261 Avoid breathing mist or vapours.  
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection/ hearing protection.

**Response:**  
P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.  
P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.  
P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor.  
P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.

Hazardous components which must be listed on the label:

N'-(3-aminopropyl)-N,N-dimethylpropane-1,3-diamine

Amines, polyethylenepoly-, triethylenetetramine fraction

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

**HUNTSMAN**

Enriching lives through innovation

## ARALDITE® 2011 HARDENER

Version 1.1      Revision Date: 27.09.2021      SDS Number: 400001015904      Date of last issue: 24.01.2018  
Date of first issue: 24.01.2018

Print Date 14.09.2022

Chemical nature : Polyamines

### Hazardous components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
N'-(3-aminopropyl)-N,N-dimethylpropane-1,3-diamine	10563-29-8 234-148-4	Acute Tox. 4; H302 Skin Corr. 1A; H314 Eye Dam. 1; H318 Skin Sens. 1B; H317	$\geq 5$ - $< 9.65$
Amines, polyethylenepoly-, triethylenetetramine fraction	90640-67-8 292-588-2	Acute Tox. 4; H302 Acute Tox. 4; H312 Skin Corr. 1B; H314 Eye Dam. 1; H318 Skin Sens. 1; H317 Aquatic Chronic 3; H412 EUH071	$\geq 3$ - $< 5$

For explanation of abbreviations see section 16.

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

- General advice : Move out of dangerous area.  
Consult a physician.  
Show this safety data sheet to the doctor in attendance.  
Treat symptomatically.  
Get medical attention if symptoms occur.
- Protection of first-aiders : First Aid responders should pay attention to self-protection and use the recommended protective clothing  
If potential for exposure exists refer to Section 8 for specific personal protective equipment.  
Avoid inhalation, ingestion and contact with skin and eyes.  
No action shall be taken involving any personal risk or without suitable training.  
It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.
- If inhaled : If inhaled, remove to fresh air.  
Get medical attention if symptoms occur.
- In case of skin contact : Immediate medical treatment is necessary as untreated wounds from corrosion of the skin heal slowly and with difficulty.  
If on skin, rinse well with water.  
If on clothes, remove clothes.
- In case of eye contact : Small amounts splashed into eyes can cause irreversible tissue damage and blindness.

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

**HUNTSMAN**

Enriching lives through innovation

## ARALDITE® 2011 HARDENER

Version	Revision Date:	SDS Number:	Date of last issue: 24.01.2018
1.1	27.09.2021	400001015904	Date of first issue: 24.01.2018

Print Date 14.09.2022

In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.  
Continue rinsing eyes during transport to hospital.  
Remove contact lenses.  
Keep eye wide open while rinsing.  
If eye irritation persists, consult a specialist.

If swallowed : Keep respiratory tract clear.  
Do NOT induce vomiting.  
Never give anything by mouth to an unconscious person.  
If symptoms persist, call a physician.  
Take victim immediately to hospital.

### 4.2 Most important symptoms and effects, both acute and delayed

None known.

### 4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically.

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

Suitable extinguishing media : Water spray  
Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical

Unsuitable extinguishing media : Exercise caution when using a high volume water jet as it may scatter and spread fire

### 5.2 Special hazards arising from the substance or mixture

Specific hazards during firefighting : Do not allow run-off from fire fighting to enter drains or water courses.

Hazardous combustion products : No hazardous combustion products are known

### 5.3 Advice for firefighters

Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary.

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.  
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

**HUNTSMAN**

Enriching lives through innovation

## ARALDITE® 2011 HARDENER

Version	Revision Date:	SDS Number:	Date of last issue: 24.01.2018
1.1	27.09.2021	400001015904	Date of first issue: 24.01.2018

Print Date 14.09.2022

### SECTION 6: Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.  
Refer to protective measures listed in sections 7 and 8.

#### 6.2 Environmental precautions

Environmental precautions : Prevent product from entering drains.  
Prevent further leakage or spillage if safe to do so.  
If the product contaminates rivers and lakes or drains inform respective authorities.

#### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Neutralise with acid.  
Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).  
Keep in suitable, closed containers for disposal.

#### 6.4 Reference to other sections

For disposal considerations see section 13., See Section 1 for emergency contact information., For personal protection see section 8.

### SECTION 7: Handling and storage

#### 7.1 Precautions for safe handling

Advice on safe handling : Repeated or prolonged skin contact may cause skin irritation and/or dermatitis and sensitisation of susceptible persons.  
Persons suffering from asthma, eczema or skin problems should avoid contact, including dermal contact, with this product.  
Do not breathe vapours/dust.  
Avoid exposure - obtain special instructions before use.  
Avoid contact with skin and eyes.  
For personal protection see section 8.  
Smoking, eating and drinking should be prohibited in the application area.  
To avoid spills during handling keep bottle on a metal tray.  
Dispose of rinse water in accordance with local and national regulations.

Advice on protection against fire and explosion : Normal measures for preventive fire protection.

Hygiene measures : When using do not eat or drink. When using do not smoke.  
Wash hands before breaks and at the end of workday.

#### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Observe label

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

**HUNTSMAN**

Enriching lives through innovation

## ARALDITE® 2011 HARDENER

Version 1.1      Revision Date: 27.09.2021      SDS Number: 400001015904      Date of last issue: 24.01.2018  
Date of first issue: 24.01.2018

Print Date 14.09.2022

precautions. Keep in properly labelled containers.

Advice on common storage : Do not store near acids.

Storage class (TRGS 510) : 8A, Combustible, corrosive hazardous materials

Further information on storage stability : Stable under normal conditions.

Recommended storage temperature : 2 - 40 °C

### 7.3 Specific end use(s)

Specific use(s) : No data available

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

Contains no substances with occupational exposure limit values.

#### Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
N'-(3-aminopropyl)-N,N-dimethylpropane-1,3-diamine	Workers	Inhalation	Long-term systemic effects	3.7 mg/m <sup>3</sup>
	Workers	Inhalation	Acute systemic effects	7.5 mg/m <sup>3</sup>
	Workers	Inhalation	Long-term local effects	3.7 mg/m <sup>3</sup>
	Workers	Inhalation	Acute local effects	7.5 mg/m <sup>3</sup>
	Workers	Dermal	Long-term systemic effects	0.67 mg/kg
	Consumers	Inhalation	Long-term systemic effects	0.65 mg/m <sup>3</sup>
	Consumers	Inhalation	Long-term local effects	0.65 mg/m <sup>3</sup>
	Consumers	Oral	Long-term systemic effects	0.2 mg/kg
Amines, polyethylenepoly-, triethylenetetramine fraction	Workers	Inhalation	Long-term systemic effects	0.54 mg/m <sup>3</sup>
	Consumers	Inhalation	Long-term systemic effects	0.096 mg/m <sup>3</sup>
	Consumers	Oral	Long-term systemic effects	14 mg/kg bw/day

#### Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

**HUNTSMAN**

Enriching lives through innovation

## ARALDITE® 2011 HARDENER

Version 1.1      Revision Date: 27.09.2021      SDS Number: 400001015904      Date of last issue: 24.01.2018  
Date of first issue: 24.01.2018

Print Date 14.09.2022

Substance name	Environmental Compartment	Value
N'-(3-aminopropyl)-N,N-dimethylpropane-1,3-diamine	Marine water	0.92 µg/l
	Freshwater - intermittent	92 µg/l
	Sewage treatment plant	18.1 mg/l
	Fresh water sediment	0.0336 mg/kg dry weight (d.w.)
	Marine sediment	0.0034 mg/kg dry weight (d.w.)
	Soil	0.0013 mg/kg dry weight (d.w.)
Amines, polyethylenepoly-, triethylenetetramine fraction	Fresh water	0.027 mg/l
	Marine water	0.003 mg/l
	Sewage treatment plant	0.13 mg/l
	Fresh water sediment	8.572 mg/kg dry weight (d.w.)
	Marine sediment	0.857 mg/kg dry weight (d.w.)
	Soil	1.25 mg/kg dry weight (d.w.)

### 8.2 Exposure controls

#### Personal protective equipment

Eye protection : Eye wash bottle with pure water  
Tightly fitting safety goggles  
Wear face-shield and protective suit for abnormal processing problems.

#### Hand protection

Material : butyl-rubber  
Break through time : > 8 h

Material : Solvent-resistant gloves (butyl-rubber)

Material : Nitrile rubber  
Break through time : 10 - 480 min

Remarks : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Skin and body protection : Impervious clothing  
Choose body protection according to the amount and concentration of the dangerous substance at the work place.

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

**HUNTSMAN**

Enriching lives through innovation

## ARALDITE® 2011 HARDENER

Version	Revision Date:	SDS Number:	Date of last issue: 24.01.2018
1.1	27.09.2021	400001015904	Date of first issue: 24.01.2018

Print Date 14.09.2022

Respiratory protection : Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines. Equipment should conform to EN 14387

Filter type : Organic vapour type (A)

### SECTION 9: Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties

Physical state : liquid

Colour : light yellow

Odour : slight

Odour Threshold : No data is available on the product itself.

pH : 11  
Concentration: 50 %

Melting point : No data available

Boiling point : > 200 °C

Flash point : 110 °C  
Method: Pensky-Martens closed cup

Flammability (solid, gas) : No data is available on the product itself.

Upper explosion limit / Upper flammability limit : No data is available on the product itself.

Lower explosion limit / Lower flammability limit : No data is available on the product itself.

Vapour pressure : 0.04 hPa (20 °C)

Relative vapour density : No data is available on the product itself.

Relative density : No data is available on the product itself.

Density : 0.95 g/cm<sup>3</sup> (25 °C)

Solubility(ies)  
Water solubility : practically insoluble (20 °C)

Solubility in other solvents : No data is available on the product itself.

Partition coefficient: n-octanol/water : No data is available on the product itself.

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

**HUNTSMAN**

Enriching lives through innovation

## ARALDITE® 2011 HARDENER

Version	Revision Date:	SDS Number:	Date of last issue: 24.01.2018
1.1	27.09.2021	400001015904	Date of first issue: 24.01.2018

Print Date 14.09.2022

Auto-ignition temperature : No data is available on the product itself.

Decomposition temperature : > 200 °C

Viscosity

Viscosity, dynamic : 20,000 - 35,000 mPa.s (25 °C)

### 9.2 Other information

Explosive properties : No data is available on the product itself.

Oxidizing properties : No data is available on the product itself.

Burning rate : No data is available on the product itself.

Evaporation rate : No data is available on the product itself.

Molecular weight : No data available

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

No dangerous reaction known under conditions of normal use.

### 10.2 Chemical stability

Stable under normal conditions.

### 10.3 Possibility of hazardous reactions

Hazardous reactions : No hazards to be specially mentioned.

### 10.4 Conditions to avoid

Conditions to avoid : None known.

### 10.5 Incompatible materials

Materials to avoid : None known.

### 10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

## SECTION 11: Toxicological information

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

Acute oral toxicity - Product : Acute toxicity estimate : > 2,000 mg/kg  
Method: Calculation method

#### Components:

Amines, polyethylenepoly-, triethylenetetramine fraction:

Acute inhalation toxicity : (Rat, male and female): Exposure time: 8 h  
Test atmosphere: vapour

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

**HUNTSMAN**

Enriching lives through innovation

## ARALDITE® 2011 HARDENER

Version	Revision Date:	SDS Number:	Date of last issue: 24.01.2018
1.1	27.09.2021	400001015904	Date of first issue: 24.01.2018

Print Date 14.09.2022

Method: OECD Test Guideline 403

Acute dermal toxicity - Product : Acute toxicity estimate : > 2,000 mg/kg  
Method: Calculation method

Acute toxicity (other routes of administration) : No data available

### Skin corrosion/irritation

#### Product:

Result: Corrosive after 1 to 4 hours of exposure

### Serious eye damage/eye irritation

#### Product:

Species: Rabbit  
Assessment: Corrosive  
Result: Corrosive

### Respiratory or skin sensitisation

#### Components:

N'-(3-aminopropyl)-N,N-dimethylpropane-1,3-diamine:  
Test Type: Maximisation Test  
Exposure routes: Skin  
Species: Guinea pig  
Method: OECD Test Guideline 406  
Result: The product is a skin sensitiser, sub-category 1B.  
GLP: yes

Amines, polyethylenepoly-, triethylenetetramine fraction:  
Exposure routes: Skin  
Species: Humans  
Assessment: Probability or evidence of skin sensitisation in humans  
Result: Probability or evidence of skin sensitisation in humans

Assessment: No data available

### Germ cell mutagenicity

#### Components:

N'-(3-aminopropyl)-N,N-dimethylpropane-1,3-diamine:  
Genotoxicity in vitro : Test Type: in vitro assay  
Test system: Human lymphocytes  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 487  
Result: negative  
GLP: yes

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

**HUNTSMAN**

Enriching lives through innovation

## ARALDITE® 2011 HARDENER

Version	Revision Date:	SDS Number:	Date of last issue: 24.01.2018
1.1	27.09.2021	400001015904	Date of first issue: 24.01.2018

Print Date 14.09.2022

: Test Type: reverse mutation assay  
Test system: Salmonella typhimurium  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 471  
Result: negative

: Test Type: In vitro mammalian cell gene mutation test  
Test system: mouse lymphoma cells  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 476  
Result: negative  
GLP: yes

: Test Type: reverse mutation assay  
Test system: Salmonella tryphimurium and E. coli  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 471  
Result: negative

Amines, polyethylenepoly-, triethylenetetramine fraction:

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test  
Test system: Chinese hamster ovary cells  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 476  
Result: positive

### **Components:**

Amines, polyethylenepoly-, triethylenetetramine fraction:

Genotoxicity in vivo : Test Type: In vivo micronucleus test  
Test species: Mouse (male and female)  
Cell type: Bone marrow  
Application Route: Intraperitoneal injection  
Dose: 0 - 600 mg/kg  
Method: OECD Test Guideline 474  
Result: negative

Germ cell mutagenicity-  
Assessment : No data available

### **Carcinogenicity**

#### **Components:**

N'-(3-aminopropyl)-N,N-dimethylpropane-1,3-diamine:

Species: Mouse, male  
Application Route: Dermal  
Exposure time: 20 month(s)  
Dose: 1.25/56.3 mg/animal  
Frequency of Treatment: 3 daily  
No observed adverse effect level:  $\geq$  56.3 mg/kg body weight

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

**HUNTSMAN**

Enriching lives through innovation

## ARALDITE® 2011 HARDENER

Version	Revision Date:	SDS Number:	Date of last issue: 24.01.2018
1.1	27.09.2021	400001015904	Date of first issue: 24.01.2018

Print Date 14.09.2022

Result: negative

Remarks: Information given is based on data obtained from similar substances.

Amines, polyethylenepoly-, triethylenetetramine fraction:

Species: Mouse, male

Dose: 42 mg/kg

Frequency of Treatment: 3 daily

No observed adverse effect level:  $\geq 50$  mg/kg bw/day

Method: OECD Test Guideline 451

Result: negative

Species: Mouse, male

Application Route: Dermal

Exposure time: 104 weeks

Dose: 16.8 mg/kg

Frequency of Treatment: 3 daily

No observed adverse effect level:  $\geq 20$  mg/kg bw/day

Method: OECD Test Guideline 451

Carcinogenicity - Assessment : No data available

### Reproductive toxicity

#### Components:

N'-(3-aminopropyl)-N,N-dimethylpropane-1,3-diamine:

Effects on fertility : Test Type: OECD Test Guideline 422

Species: Rat, male and female

Application Route: Oral

Dose: 5, 15 and 50 mg/kg bw/d

General Toxicity - Parent: No observed adverse effect level: 15 mg/kg body weight

General Toxicity F1: No observed adverse effect level: 15 mg/kg body weight

Method: OECD Test Guideline 422

Result: Animal testing did not show any effects on fertility.

GLP: yes

#### Components:

N'-(3-aminopropyl)-N,N-dimethylpropane-1,3-diamine:

Effects on foetal development : Species: Rat, male and female

Application Route: Oral

Dose: 5, 15 and 50 mg/kg bw/d

General Toxicity Maternal: No observed adverse effect level: 15 mg/kg body weight

Method: OECD Test Guideline 422

Result: Not classified

GLP: yes

Amines, polyethylenepoly-, triethylenetetramine fraction:

Test Type: Pre-natal

Species: Rat

Application Route: Oral

Dose: 75/325/750 mg/kg bw/day

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

**HUNTSMAN**

Enriching lives through innovation

## ARALDITE® 2011 HARDENER

Version	Revision Date:	SDS Number:	Date of last issue: 24.01.2018
1.1	27.09.2021	400001015904	Date of first issue: 24.01.2018

Print Date 14.09.2022

Duration of Single Treatment: 10 d  
General Toxicity Maternal: No observed adverse effect level:  
>= 750 mg/kg body weight  
Developmental Toxicity: No observed adverse effect level: >=  
750 mg/kg body weight  
Method: OECD Test Guideline 414  
Result: No teratogenic effects

Test Type: Pre-natal  
Species: Rabbit  
Application Route: Dermal  
Dose: 5/50/125 mg/kg bw/day  
Duration of Single Treatment: 13 d  
General Toxicity Maternal: No observed adverse effect level:  
50 mg/kg body weight  
Developmental Toxicity: No observed adverse effect level: >=  
125 mg/kg body weight  
Method: OECD Test Guideline 414  
Result: No teratogenic effects

### Components:

N'-(3-aminopropyl)-N,N-dimethylpropane-1,3-diamine:  
Reproductive toxicity - Assessment : No evidence of adverse effects on sexual function and fertility, or on development, based on animal experiments.

Amines, polyethylenepoly-, triethylenetetramine fraction:  
Reproductive toxicity - Assessment : The reprotoxic effects of Triethylenetetramine (TETA) are under further evaluation as part of the EU REACH program due in part to the aminoethyl ethanolamine (AEEA) content.

### **STOT - single exposure**

No data available

### **STOT - repeated exposure**

No data available

### **Repeated dose toxicity**

#### Components:

N'-(3-aminopropyl)-N,N-dimethylpropane-1,3-diamine:  
Species: Rat, male and female  
NOEC: 550  
Application Route: Inhalation  
Test atmosphere: vapour  
Exposure time: 3 w 6 h Number of exposures: 5 d/w  
Dose: 550 mg/m<sup>3</sup>  
Method: Subchronic toxicity  
Remarks: Based on data from similar materials

Species: Mouse, male  
NOAEL: >= 56.3  
Application Route: Skin contact  
Number of exposures: 3 d

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

**HUNTSMAN**

Enriching lives through innovation

## ARALDITE® 2011 HARDENER

Version	Revision Date:	SDS Number:	Date of last issue: 24.01.2018
1.1	27.09.2021	400001015904	Date of first issue: 24.01.2018

Print Date 14.09.2022

Method: Chronic toxicity  
Remarks: Based on data from similar materials

Species: Rat, male and female  
NOAEL: 1000  
Application Route: Oral  
Exposure time: 90 d Method: OECD Test Guideline 408  
Remarks: Based on data from similar materials

Amines, polyethylenepoly-, triethylenetetramine fraction:  
Species: Rat, male and female  
NOAEL: 350 mg/kg  
Application Route: Oral  
Exposure time: 28 d Number of exposures: 7 d  
Dose: 100/350/1000 mg/kg bw/day  
Method: OECD Test Guideline 407  
Target Organs: Lungs  
Remarks: Information given is based on data obtained from similar substances.

Species: Dog, male and female  
NOAEL: 125 mg/kg  
Application Route: Oral  
Remarks: Information given is based on data obtained from similar substances.

Species: Dog, male and female  
NOAEL: 50 mg/kg  
Application Route: Oral  
Method: Subchronic toxicity  
Remarks: Information given is based on data obtained from similar substances.

Species: Rat, male and female  
NOAEL: 50 mg/kg  
Application Route: Oral  
Exposure time: 26 weeks Dose: 50/175/600 mg/kg bw/day  
Method: OECD Test Guideline 408  
Target Organs: Lungs  
Remarks: Information given is based on data obtained from similar substances.

Species: Mouse, male and female  
NOAEL: 92 mg/kg, 600 ppm  
Application Route: Oral  
Exposure time: 120/600/3000 ppm Method: OECD Test Guideline 408  
Remarks: Information given is based on data obtained from similar substances.

Repeated dose toxicity - : No data available  
Assessment

### Aspiration toxicity

No data available

## 11.2 Information on other hazards

### Endocrine disrupting properties

#### Product:

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

**HUNTSMAN**

Enriching lives through innovation

## ARALDITE® 2011 HARDENER

Version	Revision Date:	SDS Number:	Date of last issue: 24.01.2018
1.1	27.09.2021	400001015904	Date of first issue: 24.01.2018

Print Date 14.09.2022

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### Experience with human exposure

General Information: No data available

Inhalation: No data available

Skin contact: No data available

Eye contact: No data available

Ingestion: No data available

### Toxicology, Metabolism, Distribution

No data available

### Neurological effects

No data available

### Further information

Ingestion: No data available

---

## SECTION 12: Ecological information

### 12.1 Toxicity

#### Components:

N'-(3-aminopropyl)-N,N-dimethylpropane-1,3-diamine:

Toxicity to fish : LC50 (Brachydanio rerio (zebrafish)): > 100 mg/l  
Exposure time: 96 h  
Test Type: static test  
Analytical monitoring: yes  
Test substance: Fresh water  
Method: OECD Test Guideline 203  
GLP: yes

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 9.2 mg/l



# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

**HUNTSMAN**

Enriching lives through innovation

## ARALDITE® 2011 HARDENER

Version	Revision Date:	SDS Number:	Date of last issue: 24.01.2018
1.1	27.09.2021	400001015904	Date of first issue: 24.01.2018

Print Date 14.09.2022

- Toxicity to microorganisms : NOEC (Bacteria):  $\geq$  100 mg/l  
Exposure time: 28 d  
Method: OECD Test Guideline 216
- EC50 (Bacteria): > 100 mg/l  
Exposure time: 28 h  
Method: OECD Test Guideline 216
- EC50 (Bacteria): 15.7 mg/l  
Exposure time: 2 h  
Test Type: static test  
Test substance: Fresh water
- NOEC (Bacteria): 1.3 mg/l  
Exposure time: 2 h  
Test Type: static test  
Test substance: Fresh water
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : EC10: 1.9 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)  
Test Type: semi-static test  
Test substance: Fresh water  
Method: OECD Test Guideline 202
- Toxicity to soil dwelling organisms : NOEC: ca. 1,000 mg/kg  
Exposure time: 56 d  
Species: Eisenia fetida (earthworms)  
Method: OECD Test Guideline 222
- EC50: > 1,000 mg/kg  
Exposure time: 56 d  
Species: Eisenia fetida (earthworms)  
Method: OECD Test Guideline 222
- Ecotoxicology Assessment  
Acute aquatic toxicity : This product has no known ecotoxicological effects.
- Chronic aquatic toxicity : Harmful to aquatic life with long lasting effects.

### 12.2 Persistence and degradability

#### Components:

N'-(3-aminopropyl)-N,N-dimethylpropane-1,3-diamine:

Biodegradability : Test Type: aerobic  
Result: Readily biodegradable.  
Biodegradation: 100 %  
Related to: Dissolved organic carbon (DOC)  
Exposure time: 28 d  
Method: OECD Test Guideline 301A  
GLP: yes

Amines, polyethylenepoly-, triethylenetetramine fraction:

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

**HUNTSMAN**

Enriching lives through innovation

## ARALDITE® 2011 HARDENER

Version	Revision Date:	SDS Number:	Date of last issue: 24.01.2018
1.1	27.09.2021	400001015904	Date of first issue: 24.01.2018

Print Date 14.09.2022

Biodegradability : Inoculum: activated sludge  
Result: Not readily biodegradable.  
Biodegradation: 0 %  
Exposure time: 162 d  
Method: OECD Test Guideline 301D

Test Type: aerobic  
Inoculum: activated sludge  
Result: Not inherently biodegradable.  
Biodegradation: 20 %  
Related to: Dissolved organic carbon (DOC)  
Exposure time: 84 d  
Method: OECD Test Guideline 302A

Chemical Oxygen Demand (COD) : 1,940 mg/g

### 12.3 Bioaccumulative potential

#### Components:

N'-(3-aminopropyl)-N,N-dimethylpropane-1,3-diamine:  
Partition coefficient: n-octanol/water : log Pow: -0.56 (25 °C)  
pH: 11.6  
Method: OECD Test Guideline 107

Amines, polyethylenepoly-, triethylenetetramine fraction:  
Partition coefficient: n-octanol/water : log Pow: -2.08 - 2.90 (20 °C)  
Method: QSAR

### 12.4 Mobility in soil

#### Components:

Amines, polyethylenepoly-, triethylenetetramine fraction:  
Distribution among environmental compartments : Koc: 1584.9 - 5012  
Method: OECD Test Guideline 106

### 12.5 Results of PBT and vPvB assessment

#### Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

### 12.6 Endocrine disrupting properties

#### Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

**HUNTSMAN**

Enriching lives through innovation

## ARALDITE® 2011 HARDENER

Version	Revision Date:	SDS Number:	Date of last issue: 24.01.2018
1.1	27.09.2021	400001015904	Date of first issue: 24.01.2018

Print Date 14.09.2022

### 12.7 Other adverse effects

**Product:**

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Harmful to aquatic life.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Product : Dispose of contents and container in accordance with all local, regional, national and international regulations. Do not dispose of waste into sewer. Do not contaminate ponds, waterways or ditches with chemical or used container.

Contaminated packaging : Empty remaining contents. Dispose of as unused product. Do not re-use empty containers.

## SECTION 14: Transport information

### 14.1 UN number or ID number

ADR : UN 2735  
RID : UN 2735  
IMDG : UN 2735  
IATA : UN 2735

### 14.2 UN proper shipping name

ADR : POLYAMINES, LIQUID, CORROSIVE, N.O.S. (DIMETHYL DIPROPYL TRIAMINE, TRIETHYLENE TETRAMINE)  
RID : POLYAMINES, LIQUID, CORROSIVE, N.O.S. (DIMETHYL DIPROPYL TRIAMINE, TRIETHYLENE TETRAMINE)  
IMDG : POLYAMINES, LIQUID, CORROSIVE, N.O.S. (DIMETHYL DIPROPYL TRIAMINE, TRIETHYLENE TETRAMINE)  
IATA : Polyamines, liquid, corrosive, n.o.s. (DIMETHYL DIPROPYL TRIAMINE, TRIETHYLENE TETRAMINE)

### 14.3 Transport hazard class(es)

ADR : 8  
RID : 8  
IMDG : 8

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

**HUNTSMAN**

Enriching lives through innovation

## ARALDITE® 2011 HARDENER

Version	Revision Date:	SDS Number:	Date of last issue: 24.01.2018
1.1	27.09.2021	400001015904	Date of first issue: 24.01.2018

Print Date 14.09.2022

**IATA** : 8

### 14.4 Packing group

#### ADR

Packing group : III  
Classification Code : C7  
Hazard Identification Number : 80  
Labels : 8  
Tunnel restriction code : (E)

#### RID

Packing group : III  
Classification Code : C7  
Hazard Identification Number : 80  
Labels : 8

#### IMDG

Packing group : III  
Labels : 8  
EmS Code : F-A, S-B

#### IATA (Cargo)

Packing instruction (cargo aircraft) : 856  
Packing instruction (LQ) : Y841  
Packing group : III  
Labels : Corrosive

#### IATA (Passenger)

Packing instruction (passenger aircraft) : 852  
Packing instruction (LQ) : Y841  
Packing group : III  
Labels : Corrosive

### 14.5 Environmental hazards

#### ADR

Environmentally hazardous : no

#### RID

Environmentally hazardous : no

#### IMDG

Marine pollutant : no

### 14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

### 14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

**HUNTSMAN**

Enriching lives through innovation

## ARALDITE® 2011 HARDENER

Version	Revision Date:	SDS Number:	Date of last issue: 24.01.2018
1.1	27.09.2021	400001015904	Date of first issue: 24.01.2018

Print Date 14.09.2022

### SECTION 15: Regulatory information

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - List of substances subject to authorisation (Annex XIV) : Not applicable

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59). : This product does not contain substances of very high concern (Regulation (EC) No 1907/2006 (REACH), Article 57).

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.  
Not applicable

Other regulations:

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

#### The components of this product are reported in the following inventories:

DSL : This product contains one or several components listed in the Canadian NDSL.

AIIC : On the inventory, or in compliance with the inventory

NZIoC : On the inventory, or in compliance with the inventory

ENCS : On the inventory, or in compliance with the inventory

KECI : Not in compliance with the inventory

PICCS : Not in compliance with the inventory

IECSC : On the inventory, or in compliance with the inventory

TCSI : On the inventory, or in compliance with the inventory

TSCA : All substances listed as active on the TSCA inventory

#### Inventories

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

**HUNTSMAN**

Enriching lives through innovation

## ARALDITE® 2011 HARDENER

Version	Revision Date:	SDS Number:	Date of last issue: 24.01.2018
1.1	27.09.2021	400001015904	Date of first issue: 24.01.2018

Print Date 14.09.2022

AICS (Australia), AIIC (Australia), DSL (Canada), IECSC (China), ENCS (Japan), KECI (Korea), NZIOC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (United States of America (USA))

### 15.2 Chemical safety assessment

Chemical Safety Assessments for all substances in this product are either Complete or Not applicable.

## SECTION 16: Other information

### Full text of H-Statements

H302	: Harmful if swallowed.
H312	: Harmful in contact with skin.
H314	: Causes severe skin burns and eye damage.
H317	: May cause an allergic skin reaction.
H318	: Causes serious eye damage.
H412	: Harmful to aquatic life with long lasting effects.
EUH071	: Corrosive to the respiratory tract.

### Full text of other abbreviations

Acute Tox.	: Acute toxicity
Aquatic Chronic	: Long-term (chronic) aquatic hazard
Eye Dam.	: Serious eye damage
Skin Corr.	: Skin corrosion
Skin Sens.	: Skin sensitisation

### Further information

#### Classification of the mixture:

Skin Corr. 1C	H314
Eye Dam. 1	H318
Skin Sens. 1	H317

#### Classification procedure:

Based on product data or assessment
Based on product data or assessment
Calculation method

While the information and recommendations in this publication are to the best of our knowledge, information and belief accurate at the date of publication, NOTHING HEREIN IS TO BE CONSTRUED AS A WARRANTY, EXPRESS OR OTHERWISE.

IN ALL CASES, IT IS THE RESPONSIBILITY OF THE USER TO DETERMINE THE APPLICABILITY OF SUCH INFORMATION AND RECOMMENDATIONS AND THE SUITABILITY OF ANY PRODUCT FOR ITS OWN PARTICULAR PURPOSE.

THE PRODUCT MAY PRESENT HAZARDS AND SHOULD BE USED WITH CAUTION. WHILE CERTAIN HAZARDS ARE DESCRIBED IN THIS PUBLICATION, NO GUARANTEE IS MADE THAT THESE ARE THE ONLY HAZARDS THAT EXIST.

Hazards, toxicity and behaviour of the products may differ when used with other materials and are dependent upon the manufacturing circumstances or other processes. Such hazards, toxicity and

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

**HUNTSMAN**

Enriching lives through innovation

## ARALDITE® 2011 HARDENER

Version	Revision Date:	SDS Number:	Date of last issue: 24.01.2018
1.1	27.09.2021	400001015904	Date of first issue: 24.01.2018

Print Date 14.09.2022

behaviour should be determined by the user and made known to handlers, processors and end users.

The trademarks above are the property of Huntsman Corporation or an affiliate thereof.

NO PERSON OR ORGANIZATION EXCEPT A DULY AUTHORIZED HUNTSMAN EMPLOYEE IS AUTHORIZED TO PROVIDE OR MAKE AVAILABLE DATA SHEETS FOR HUNTSMAN PRODUCTS. DATA SHEETS FROM UNAUTHORIZED SOURCES MAY CONTAIN INFORMATION THAT IS NO LONGER CURRENT OR ACCURATE.