

EPIBOND® 420 A US

Version	Revision Date:	SDS Number:	Date of last issue: 10/16/2018
2.0	04/06/2022	400001009160	Date of first issue: 02/20/2017

Print Date 04/12/2025

SECTION 1. IDENTIFICATION

Product name : EPIBOND® 420 A US

Manufacturer or supplier's detailsCompany name of supplier : Huntsman Advanced Materials Americas LLC
Address : P.O. Box 4980The Woodlands,
TX 77387
United States of America (USA)

Telephone : Non-Emergency: (800) 257-5547

E-mail address of person responsible for the SDS : Global_Product_EHS_AdMat@huntsman.com

Emergency telephone number : Chemtrec: (800) 424-9300 or (703) 527-3887

Recommended use of the chemical and restrictions on use

Recommended use : Epoxy constituents

Restrictions on use : For industrial use only.

SECTION 2. HAZARDS IDENTIFICATION**GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)**

Skin irritation : Category 2

Eye irritation : Category 2A

Skin sensitisation : Category 1

Short-term (acute) aquatic hazard : Category 2

Chronic aquatic toxicity : Category 2

GHS label elements

Hazard pictograms :



Signal word : Warning

Hazard statements : H315 Causes skin irritation.
H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.

EPIBOND® 420 A US

Version 2.0 Revision Date: 04/06/2022 SDS Number: 400001009160 Date of last issue: 10/16/2018
Date of first issue: 02/20/2017

Print Date 04/12/2025

H411 Toxic to aquatic life with long lasting effects.

Precautionary statements

: **Prevention:**

P261 Avoid breathing mist or vapours.
P264 Wash skin thoroughly after handling.
P272 Contaminated work clothing must not be allowed out of the workplace.
P273 Avoid release to the environment.
P280 Wear protective gloves/ eye protection/ face protection.

Response:

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.
P337 + P313 If eye irritation persists: Get medical advice/ attention.
P362 Take off contaminated clothing and wash before reuse.
P391 Collect spillage.

Storage:

Not available

Disposal:

P501 Dispose of contents/container to an approved facility in accordance with local, regional, national and international regulations.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous components

Chemical name	CAS-No.	Concentration (% w/w)
2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane	1675-54-3	90 - 100
Glass, oxide, chemicals	65997-17-3	0.1 - 1

The specific chemical identity and/or exact percentage (concentration) of composition may be withheld as a trade secret.

Both 25068-38-6 and 1675-54-3 can be used to describe the epoxy resin which is produced through the reaction of bisphenol A and epichlorohydrin

SECTION 4. FIRST AID MEASURES

General advice : Move out of dangerous area.

EPIBOND® 420 A US

Version	Revision Date:	SDS Number:	Date of last issue: 10/16/2018
2.0	04/06/2022	400001009160	Date of first issue: 02/20/2017

Print Date 04/12/2025

Show this safety data sheet to the doctor in attendance.
Treat symptomatically.
Get medical attention if symptoms occur.

If inhaled : If inhaled, remove to fresh air.
Get medical attention if symptoms occur.

In case of skin contact : If skin irritation persists, call a physician.
If on skin, rinse well with water.
If on clothes, remove clothes.

In case of eye contact : Immediately flush eye(s) with plenty of water.
Remove contact lenses.
Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist.

If swallowed : Keep respiratory tract clear.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician.

Most important symptoms and effects, both acute and delayed : None known.

Protection of first-aiders : First Aid responders should pay attention to self-protection and use the recommended protective clothing
If potential for exposure exists refer to Section 8 for specific personal protective equipment.
Avoid inhalation, ingestion and contact with skin and eyes.
No action shall be taken involving any personal risk or without suitable training.
It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

Notes to physician : Treat symptomatically.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Water spray
Alcohol-resistant foam
Carbon dioxide (CO₂)
Dry chemical

Unsuitable extinguishing media : Exercise caution when using a high volume water jet as it may scatter and spread fire

Specific hazards during firefighting : Do not allow run-off from fire fighting to enter drains or water courses.

Hazardous combustion products : Carbon oxides
Halogenated compounds

Specific extinguishing : Use extinguishing measures that are appropriate to local

EPIBOND® 420 A US

Version	Revision Date:	SDS Number:	Date of last issue:
2.0	04/06/2022	400001009160	10/16/2018
			Date of first issue: 02/20/2017

Print Date 04/12/2025

methods

circumstances and the surrounding environment.

Further information

: Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

Special protective equipment for firefighters

: Wear self-contained breathing apparatus for firefighting if necessary.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

: Use personal protective equipment.
Refer to protective measures listed in sections 7 and 8.

Environmental precautions

: Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities.

Methods and materials for containment and cleaning up

: Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).
Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion

: Normal measures for preventive fire protection.

Advice on safe handling

: Repeated or prolonged skin contact may cause skin irritation and/or dermatitis and sensitisation of susceptible persons. Persons suffering from asthma, eczema or skin problems should avoid contact, including dermal contact, with this product.
Do not breathe vapours/dust.
Avoid exposure - obtain special instructions before use.
Avoid contact with skin and eyes.
For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the application area.
Dispose of rinse water in accordance with local and national regulations.

Conditions for safe storage

: Keep container tightly closed in a dry and well-ventilated place.
Containers which are opened must be carefully resealed and kept upright to prevent leakage.
Keep in properly labelled containers.

Materials to avoid

: For incompatible materials please refer to Section 10 of this SDS.

EPIBOND® 420 A US

Version	Revision Date:	SDS Number:	Date of last issue:
2.0	04/06/2022	400001009160	10/16/2018
			Date of first issue: 02/20/2017

Print Date 04/12/2025

Recommended storage temperature : 36 - 104 °F / 2 - 40 °C

Further information on storage stability : Stable under normal conditions.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**Components with workplace control parameters****Personal protective equipment**

Respiratory protection : General and local exhaust ventilation is recommended to maintain vapor exposures below recommended limits. Where concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided by air purifying respirators against exposure to any hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other circumstance where air purifying respirators may not provide adequate protection.

Hand protection

Remarks : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.
The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Eye protection : Eye wash bottle with pure water
Tightly fitting safety goggles
Wear face-shield and protective suit for abnormal processing problems.

Skin and body protection : Impervious clothing
Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Hygiene measures : When using do not eat or drink.
When using do not smoke.
Wash hands before breaks and at the end of workday.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : paste

Colour : yellow

Odour : odourless

EPIBOND® 420 A US

Version	Revision Date:	SDS Number:	Date of last issue: 10/16/2018
2.0	04/06/2022	400001009160	Date of first issue: 02/20/2017

Print Date 04/12/2025

Odour Threshold	: No data is available on the product itself.
pH	: substance/mixture is non-soluble (in water)
Melting point/freezing point	: No data is available on the product itself.
Boiling point	: No data is available on the product itself.
Flash point	: 360 °F / 182 °C Method: closed cup
Evaporation rate	: No data is available on the product itself.
Flammability (solid, gas)	: No data is available on the product itself.
Flammability (liquids)	: No data is available on the product itself.
Upper explosion limit / Upper flammability limit	: No data is available on the product itself.
Lower explosion limit / Lower flammability limit	: No data is available on the product itself.
Vapour pressure	: > 1.3 hPa (68 °F / 20 °C)
Relative vapour density	: No data is available on the product itself.
Relative density	: 1.1 (77 °F / 25 °C)
Density	: 1.1 g/cm3 (77 °F / 25 °C)
Solubility(ies)	
Water solubility	: practically insoluble (68 °F / 20 °C)
Solubility in other solvents	: No data is available on the product itself.
Partition coefficient: n-octanol/water	: No data is available on the product itself.
Auto-ignition temperature	: No data is available on the product itself.
Decomposition temperature	: > 302 °F / > 150 °C Method: estimated
Self-Accelerating decomposition temperature (SADT)	: No data is available on the product itself.
Viscosity	
Viscosity, dynamic	: ca. 180,000 mPa.s (77 °F / 25 °C)
Explosive properties	: No data is available on the product itself.
Oxidizing properties	: No data is available on the product itself.

EPIBOND® 420 A US

Version	Revision Date:	SDS Number:	Date of last issue:
2.0	04/06/2022	400001009160	10/16/2018
			Date of first issue: 02/20/2017

Print Date 04/12/2025

Particle size : No data is available on the product itself.

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: No dangerous reaction known under conditions of normal use.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: No hazards to be specially mentioned.
Conditions to avoid	: None known.
Incompatible materials	: Strong acids Strong bases Strong oxidizing agents
Hazardous decomposition products	: carbon dioxide carbon monoxide Halogenated compounds

SECTION 11. TOXICOLOGICAL INFORMATION**Acute toxicity****Product:**

Acute dermal toxicity	: Acute toxicity estimate: > 5,000 mg/kg Method: Calculation method
-----------------------	--

Components:**2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:**

Acute oral toxicity	: LD50 (Rat, female): > 2,000 mg/kg Method: OECD Test Guideline 420 Assessment: The substance or mixture has no acute oral toxicity Remarks: No mortality observed at this dose.
Acute dermal toxicity	: LD50 (Rat, male and female): > 2,000 mg/kg Method: OECD Test Guideline 402 Assessment: The substance or mixture has no acute dermal toxicity

Skin corrosion/irritation**Components:****2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:**

Species	: Rabbit
Exposure time	: 4 h
Assessment	: Irritating to skin.
Method	: OECD Test Guideline 404
Result	: Irritating to skin.

EPIBOND® 420 A US

Version	Revision Date:	SDS Number:	Date of last issue:
2.0	04/06/2022	400001009160	10/16/2018
			Date of first issue: 02/20/2017

Print Date 04/12/2025

Glass, oxide, chemicals:

Species	:	Rabbit
Assessment	:	No skin irritation
Method	:	OECD Test Guideline 404
Result	:	Normally reversible injuries

Serious eye damage/eye irritation**Components:****2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:**

Species	:	Rabbit
Result	:	Irritating to eyes.
Assessment	:	Irritating to eyes.
Method	:	OECD Test Guideline 405

Respiratory or skin sensitisation**Components:****2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:**

Test Type	:	Local lymph node assay (LLNA)
Exposure routes	:	Skin
Species	:	Mouse
Method	:	OECD Test Guideline 429
Result	:	The product is a skin sensitizer, sub-category 1B.

Glass, oxide, chemicals:

Exposure routes	:	Skin
Species	:	Other
Result	:	Does not cause skin sensitisation.

Germ cell mutagenicity**Components:****2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:**

Genotoxicity in vitro	:	Test Type: In vitro mammalian cell gene mutation test Test system: mouse lymphoma cells Metabolic activation: without metabolic activation Result: positive Test Type: reverse mutation assay Test system: Salmonella typhimurium Metabolic activation: with and without metabolic activation Method: Mutagenicity (Salmonella typhimurium - reverse mutation assay) Result: negative
Genotoxicity in vivo	:	Test Type: in vivo assay Species: Mouse (male) Cell type: Germ Application Route: Oral Dose: 3333, 10000 mg/kg

EPIBOND® 420 A US

Version	Revision Date:	SDS Number:	Date of last issue: 10/16/2018
2.0	04/06/2022	400001009160	Date of first issue: 02/20/2017

Print Date 04/12/2025

Result: negative

Test Type: gene mutation test
 Species: Rat (male)
 Cell type: Somatic
 Application Route: Oral
 Dose: 50,250,500,1000 mg/kg bw/day
 Method: OECD Test Guideline 488
 Result: negative

Carcinogenicity**Components:****2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:**

Species : Rat, male
 Application Route : Oral
 Exposure time : 24 month(s)
 Dose : 0, 2, 15, or 100 mg/kg bw/day
 Frequency of Treatment : 7 days/week
 NOAEL : 15 mg/kg bw/day
 Method : OECD Test Guideline 453
 Result : negative
 Target Organs : Digestive organs

Species : Mouse, male
 Application Route : Dermal
 Exposure time : 24 month(s)
 Dose : 0, 0.1, 10, 100 mg/kg bw/day
 Frequency of Treatment : 3 days/week
 NOEL : 0.1 mg/kg body weight
 Method : OECD Test Guideline 453
 Result : negative
 Target Organs : Digestive organs

Species : Rat, female
 Application Route : Dermal
 Exposure time : 24 month(s)
 Dose : 0.1, 100, 1000 mg/kg bw/day
 Frequency of Treatment : 5 days/week
 NOEL : 100 mg/kg body weight
 Method : OECD Test Guideline 453
 Result : negative

Species : Rat, female
 Application Route : Oral
 Exposure time : 24 month(s)
 Dose : 0, 2, 15, or 100 mg/kg bw/day
 Frequency of Treatment : 7 days/week
 NOAEL : 100 mg/kg bw/day
 Method : OECD Test Guideline 453
 Result : negative
 Target Organs : Digestive organs

Species : Rat, females
 Application Route : Oral

EPIBOND® 420 A US

Version	Revision Date:	SDS Number:	Date of last issue:
2.0	04/06/2022	400001009160	10/16/2018
			Date of first issue: 02/20/2017

Print Date 04/12/2025

Exposure time : 24 month(s)
Dose : 0, 2, 15, or 100 mg/kg bw/day
Frequency of Treatment : 7 days/week
NOEL : 2 mg/kg bw/day
Method : OECD Test Guideline 453
Result : negative
Target Organs : Digestive organs

IARC Group 2A: Probably carcinogenic to humans
Glass, oxide, chemicals (glass) 65997-17-3
Group 2B: Possibly carcinogenic to humans
Glass, oxide, chemicals (special-purpose fibres) 65997-17-3

OSHA No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity**Components:****2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:**

Effects on fertility : Test Type: Two-generation study
Species: Rat, male and female
Application Route: Oral
Dose: 0, 50, 180, 540 or 750 milligram per kilogram
Duration of Single Treatment: 238 d
Frequency of Treatment: 1 daily
General Toxicity - Parent: NOEL: 540 mg/kg body weight
General Toxicity F1: NOEL: 750 mg/kg body weight
Symptoms: No adverse effects
Method: OECD Test Guideline 416
Result: No effects on fertility and early embryonic development were detected.

Effects on foetal development : Species: Rabbit, female
Application Route: Dermal
Dose: 0, 30, 100 or 300 milligram per kilogram
Duration of Single Treatment: 28 d
Frequency of Treatment: 1 daily
General Toxicity Maternal: NOAEL: 30 mg/kg body weight
Developmental Toxicity: NOAEL: 300 mg/kg body weight
Method: Other guidelines
Result: No teratogenic effects

Test Type: Pre-natal
Species: Rabbit, female
Application Route: Oral
Dose: 0, 20, 60 or 180 milligram per kilogram
Duration of Single Treatment: 13 d
Frequency of Treatment: 1 daily
General Toxicity Maternal: NOAEL: 60 mg/kg body weight

EPIBOND® 420 A US

Version	Revision Date:	SDS Number:	Date of last issue:
2.0	04/06/2022	400001009160	10/16/2018
			Date of first issue: 02/20/2017

Print Date 04/12/2025

Developmental Toxicity: NOAEL: 180 mg/kg body weight
Method: OECD Test Guideline 414
Result: No teratogenic effects

Test Type: Pre-natal
Species: Rat, female
Application Route: Oral
Dose: 0, 60, 180 and 540 milligram per kilogram
Duration of Single Treatment: 10 d
Frequency of Treatment: 1 daily
General Toxicity Maternal: NOAEL: 180 mg/kg body weight
Developmental Toxicity: NOAEL: > 540 mg/kg body weight
Method: OECD Test Guideline 414
Result: No teratogenic effects

STOT - single exposure

No data available

STOT - repeated exposure

No data available

Repeated dose toxicity**Components:****2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:**

Species	: Rat, male and female
NOAEL	: 50 mg/kg
Application Route	: oral (gavage)
Exposure time	: 14 Weeks
Number of exposures	: 7 d
Dose	: 0, 50, 250, 1000 mg/kg/day
Method	: OECD Test Guideline 408

Species	: Rat, male and female
NOAEL	: >= 10 mg/kg
Application Route	: Skin contact
Exposure time	: 13 Weeks
Number of exposures	: 5 d
Dose	: 0, 10, 100, 1000 mg/kg/day
Method	: OECD Test Guideline 411

Species	: Mouse, male
NOAEL	: 100 mg/kg
Application Route	: Skin contact
Exposure time	: 13 Weeks
Number of exposures	: 3 d
Dose	: 0, 1, 10, 100 mg/kg/day
Method	: OECD Test Guideline 411

Glass, oxide, chemicals:

Species	: Rat, male
LOEC	: 2.4 mg/m3
Test atmosphere	: dust/mist
Exposure time	: 2,160 h
Number of exposures	: 6 h

EPIBOND® 420 A US

Version	Revision Date:	SDS Number:	Date of last issue:
2.0	04/06/2022	400001009160	10/16/2018
			Date of first issue: 02/20/2017

Print Date 04/12/2025

Method : Directive 67/548/EEC, Annex, B.29

Aspiration toxicity

No data available

Experience with human exposure

No data available

Toxicology, Metabolism, Distribution

No data available

Neurological effects

No data available

Further information

No data available

SECTION 12. ECOLOGICAL INFORMATION**Ecotoxicity****Components:****2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 2 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 1.8 mg/l
aquatic invertebrates
Exposure time: 48 h
Test Type: static test
Test substance: Fresh water
Method: OECD Test Guideline 202

Toxicity to algae/aquatic : EC50: 11 mg/l
plants
Exposure time: 72 h
Test Type: static test
Test substance: Fresh water
Method: EPA-660/3-75-009

NOEC: 4.2 mg/l
Exposure time: 72 h
Test Type: static test
Test substance: Fresh water
Method: EPA-660/3-75-009

Toxicity to daphnia and other : NOEC (Daphnia magna (Water flea)): 0.3 mg/l
aquatic invertebrates
(Chronic toxicity)
Exposure time: 21 d
Test Type: semi-static test
Test substance: Fresh water
Method: OECD Test Guideline 211

Toxicity to microorganisms : IC50 (activated sludge): > 100 mg/l
Exposure time: 3 h
Test Type: static test
Test substance: Fresh water

EPIBOND® 420 A US

Version	Revision Date:	SDS Number:	Date of last issue:
2.0	04/06/2022	400001009160	10/16/2018
			Date of first issue: 02/20/2017

Print Date 04/12/2025

Ecotoxicology Assessment

Chronic aquatic toxicity : Toxic to aquatic life with long lasting effects.

Glass, oxide, chemicals:

Toxicity to fish : LC50 (Brachydanio rerio (zebrafish)): > 1,000 mg/l
Exposure time: 96 h
Test Type: Other guidelines
Test substance: Fresh water
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 1,000 mg/l
Exposure time: 72 h
Test Type: semi-static test
Test substance: Fresh water
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EgC50 (Selenastrum capricornutum (green algae)): > 1,000 mg/l
Exposure time: 72 h
Test Type: semi-static test
Method: OECD Test Guideline 201

Persistence and degradability**Components:****2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:**

Biodegradability : aerobic
Inoculum: activated sludge, non-adapted
Concentration: 20 mg/l
Result: Not readily biodegradable.
Biodegradation: 5 %
Exposure time: 28 d
Method: OECD Test Guideline 301F

Stability in water : Degradation half life (DT50): 4.83 d (25 °C) pH: 4
Method: OECD Test Guideline 111
Remarks: Fresh water

Degradation half life (DT50): 7.1 d (25 °C) pH: 9
Method: OECD Test Guideline 111
Remarks: Fresh water

Degradation half life (DT50): 3.58 d (25 °C) pH: 7
Method: OECD Test Guideline 111
Remarks: Fresh water

Bioaccumulative potential**Components:****2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:**

Bioaccumulation : Bioconcentration factor (BCF): 31
Remarks: Does not bioaccumulate.

Partition coefficient: n- : log Pow: 3.242 (77 °F / 25 °C)

EPIBOND® 420 A US

Version	Revision Date:	SDS Number:	Date of last issue: 10/16/2018
2.0	04/06/2022	400001009160	Date of first issue: 02/20/2017

Print Date 04/12/2025

octanol/water

pH: 7.1

Method: OECD Test Guideline 117

Mobility in soil**Components:****2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:**

Distribution among : Koc: 445
environmental compartments

Other adverse effects**Product:**

Ozone-Depletion Potential : Regulation: 40 CFR Protection of Environment; Part 82
Protection of Stratospheric Ozone - CAA Section 602 Class I
Substances
Remarks: This product neither contains, nor was
manufactured with a Class I or Class II ODS as defined by the
U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A +
B).

Additional ecological : An environmental hazard cannot be excluded in the event of
information unprofessional handling or disposal.
Toxic to aquatic life with long lasting effects.

SECTION 13. DISPOSAL CONSIDERATIONS**Disposal methods**

Waste from residues : Dispose of contents and container in accordance with all local,
regional, national and international regulations.
Do not dispose of waste into sewer.
Do not contaminate ponds, waterways or ditches with
chemical or used container.

Contaminated packaging : Empty remaining contents.
Dispose of as unused product.
Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION**International Regulations****IATA-DGR**

UN/ID No.	: UN 3082
Proper shipping name	: Environmentally hazardous substance, liquid, n.o.s. (BISPHENOL A EPOXY RESIN)
Class	: 9
Packing group	: III
Labels	: Miscellaneous
Packing instruction (cargo aircraft)	: 964
Packing instruction	: 964

EPIBOND® 420 A US

Version	Revision Date:	SDS Number:	Date of last issue: 10/16/2018
2.0	04/06/2022	400001009160	Date of first issue: 02/20/2017

Print Date 04/12/2025

(passenger aircraft)

Environmentally hazardous : yes

IMDG-Code

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,
N.O.S.
(BISPHENOL A EPOXY RESIN)

Class : 9

Packing group : III

Labels : 9

EmS Code : F-A, S-F

Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations**49 CFR**

UN/ID/NA number : UN 3082

Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.
(BISPHENOL A EPOXY RESIN)

Class : 9

Packing group : III

Labels : CLASS 9

ERG Code : 171

Marine pollutant : yes

Remarks : Shipment by ground under DOT is non-regulated; however it
may be shipped per the applicable hazard classification to
facilitate multi-modal transport involving ICAO (IATA) or IMO.**Special precautions for user**

Remarks : 49CFR: no dangerous good in non-bulk packaging

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION**CERCLA Reportable Quantity**

Listed substances in the product are at low enough levels to not be expected to exceed the RQ

SARA 311/312 Hazards : Respiratory or skin sensitisation
Skin corrosion or irritation
Serious eye damage or eye irritation**SARA 313** : This material does not contain any chemical components with
known CAS numbers that exceed the threshold (De Minimis)
reporting levels established by SARA Title III, Section 313.

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

EPIBOND® 420 A US

Version	Revision Date:	SDS Number:	Date of last issue:
2.0	04/06/2022	400001009160	10/16/2018
			Date of first issue: 02/20/2017

Print Date 04/12/2025

California Prop. 65

WARNING: This product can expose you to chemicals including methanol, 4,4'-isopropylidenediphenol, which is/are known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

The components of this product are reported in the following inventories:

DSL	: All components of this product are on the Canadian DSL
AIIC	: On the inventory, or in compliance with the inventory
NZIoC	: On the inventory, or in compliance with the inventory
ENCS	: On the inventory, or in compliance with the inventory
KECI	: On the inventory, or in compliance with the inventory
PICCS	: On the inventory, or in compliance with the inventory
IECSC	: On the inventory, or in compliance with the inventory
TCSI	: On the inventory, or in compliance with the inventory
TSCA	: All substances listed as active on the TSCA inventory

Inventories

AIIC (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TECI (Thailand), TSCA (USA)

TSCA - 5(a) Significant New Use Rule List of Chemicals


No substances are subject to a Significant New Use Rule.

US. Toxic Substances Control Act (TSCA) Section 12(b) Export Notification (40 CFR 707, Subpt D)

No substances are subject to TSCA 12(b) export notification requirements.

EPIBOND® 420 A USVersion
2.0Revision Date:
04/06/2022SDS Number:
400001009160Date of last issue: 10/16/2018
Date of first issue: 02/20/2017

Print Date 04/12/2025

SECTION 16. OTHER INFORMATION**Further information****NFPA 704:****HMIS® IV:**

HEALTH		2
FLAMMABILITY		1
PHYSICAL HAZARD		0

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard

Revision Date : 04/06/2022

The information and recommendations in this publication are to the best of our knowledge, information and belief accurate at the date of publication, NOTHING HEREIN IS TO BE CONSTRUED AS A WARRANTY, EXPRESS OR OTHERWISE.

IN ALL CASES, IT IS THE RESPONSIBILITY OF THE USER TO DETERMINE THE APPLICABILITY OF SUCH INFORMATION AND RECOMMENDATIONS AND THE SUITABILITY OF ANY PRODUCT FOR ITS OWN PARTICULAR PURPOSE.

THE PRODUCT MAY PRESENT HAZARDS AND SHOULD BE USED WITH CAUTION. WHILE CERTAIN HAZARDS ARE DESCRIBED IN THIS PUBLICATION, NO GUARANTEE IS MADE THAT THESE ARE THE ONLY HAZARDS THAT EXIST.

Hazards, toxicity and behaviour of the products may differ when used with other materials and are dependent upon the manufacturing circumstances or other processes. Such hazards, toxicity and behaviour should be determined by the user and made known to handlers, processors and end users.

The trademarks above are the property of Huntsman Corporation or an affiliate thereof.

NO PERSON OR ORGANIZATION EXCEPT A DULY AUTHORIZED HUNTSMAN EMPLOYEE IS AUTHORIZED TO PROVIDE OR MAKE AVAILABLE DATA SHEETS FOR HUNTSMAN PRODUCTS. DATA SHEETS FROM UNAUTHORIZED SOURCES MAY CONTAIN INFORMATION THAT IS NO LONGER CURRENT OR ACCURATE.

EPIBOND® 420 B US

Version	Revision Date:	SDS Number:	Date of last issue:
2.0	04/06/2022	400001008535	04/27/2017
			Date of first issue: 10/20/2015

Print Date 04/12/2025

SECTION 1. IDENTIFICATION

Product name : EPIBOND® 420 B US

Manufacturer or supplier's detailsCompany name of supplier : Huntsman Advanced Materials Americas LLC
Address : P.O. Box 4980The Woodlands,
TX 77387
United States of America (USA)

Telephone : Non-Emergency: (800) 257-5547

E-mail address of person responsible for the SDS : Global_Product_EHS_AdMat@huntsman.com

Emergency telephone number : Chemtrec: (800) 424-9300 or (703) 527-3887

Recommended use of the chemical and restrictions on use

Recommended use : Hardener

Restrictions on use : For industrial use only.

SECTION 2. HAZARDS IDENTIFICATION**GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)**

Skin corrosion : Category 1B

Serious eye damage : Category 1

Skin sensitisation : Category 1

GHS label elements

Hazard pictograms :



Signal word : Danger

Hazard statements : H314 Causes severe skin burns and eye damage.
H317 May cause an allergic skin reaction.Precautionary statements : **Prevention:**
P261 Avoid breathing mist or vapours.
P264 Wash skin thoroughly after handling.
P272 Contaminated work clothing must not be allowed out of the workplace.

EPIBOND® 420 B US

Version 2.0 Revision Date: 04/06/2022 SDS Number: 400001008535 Date of last issue: 04/27/2017
Date of first issue: 10/20/2015

Print Date 04/12/2025

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower.

P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor.

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.

P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.

P363 Wash contaminated clothing before reuse.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/container to an approved facility in accordance with local, regional, national and international regulations.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Chemical nature : Amines

Hazardous components

Chemical name	CAS-No.	Concentration (% w/w)
3,3'-oxybis(ethyleneoxy)bis(propylamine)	4246-51-9	50 - 70

The specific chemical identity and/or exact percentage (concentration) of composition may be withheld as a trade secret.

SECTION 4. FIRST AID MEASURES

General advice : Move out of dangerous area.
Consult a physician.
Show this safety data sheet to the doctor in attendance.
Treat symptomatically.
Get medical attention if symptoms occur.

If inhaled : If inhaled, remove to fresh air.

EPIBOND® 420 B US

Version	Revision Date:	SDS Number:	Date of last issue:
2.0	04/06/2022	400001008535	04/27/2017
			Date of first issue: 10/20/2015

Print Date 04/12/2025

Get medical attention if symptoms occur.

- | | |
|---|---|
| In case of skin contact | : Immediate medical treatment is necessary as untreated wounds from corrosion of the skin heal slowly and with difficulty.
If on skin, rinse well with water.
If on clothes, remove clothes. |
| In case of eye contact | : Small amounts splashed into eyes can cause irreversible tissue damage and blindness.
In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
Continue rinsing eyes during transport to hospital.
Remove contact lenses.
Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist. |
| If swallowed | : Keep respiratory tract clear.
Do NOT induce vomiting.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician.
Take victim immediately to hospital. |
| Most important symptoms and effects, both acute and delayed | : None known. |
| Protection of first-aiders | : First Aid responders should pay attention to self-protection and use the recommended protective clothing
If potential for exposure exists refer to Section 8 for specific personal protective equipment.
Avoid inhalation, ingestion and contact with skin and eyes.
No action shall be taken involving any personal risk or without suitable training.
It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. |
| Notes to physician | : Treat symptomatically. |

SECTION 5. FIREFIGHTING MEASURES

- | | |
|--------------------------------------|---|
| Suitable extinguishing media | : Water spray
Alcohol-resistant foam
Carbon dioxide (CO2)
Dry chemical |
| Unsuitable extinguishing media | : Exercise caution when using a high volume water jet as it may scatter and spread fire |
| Specific hazards during firefighting | : Do not allow run-off from fire fighting to enter drains or water courses. |
| Hazardous combustion | : Carbon dioxide (CO2) |

EPIBOND® 420 B US

Version	Revision Date:	SDS Number:	Date of last issue:
2.0	04/06/2022	400001008535	04/27/2017
			Date of first issue: 10/20/2015

Print Date 04/12/2025

products	Carbon monoxide Nitrogen oxides (NOx)
Specific extinguishing methods	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Further information	: Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
Special protective equipment for firefighters	: Wear self-contained breathing apparatus for firefighting if necessary.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	: Use personal protective equipment. Refer to protective measures listed in sections 7 and 8.
Environmental precautions	: Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.
Methods and materials for containment and cleaning up	: Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion	: Normal measures for preventive fire protection.
Advice on safe handling	: Repeated or prolonged skin contact may cause skin irritation and/or dermatitis and sensitisation of susceptible persons. Persons suffering from asthma, eczema or skin problems should avoid contact, including dermal contact, with this product. Do not breathe vapours/dust. Avoid exposure - obtain special instructions before use. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. To avoid spills during handling keep bottle on a metal tray. Dispose of rinse water in accordance with local and national regulations.
Conditions for safe storage	: Keep container tightly closed in a dry and well-ventilated place. Observe label precautions.

EPIBOND® 420 B US

Version	Revision Date:	SDS Number:	Date of last issue:
2.0	04/06/2022	400001008535	04/27/2017
			Date of first issue: 10/20/2015

Print Date 04/12/2025

Keep in properly labelled containers.

Materials to avoid	:	For incompatible materials please refer to Section 10 of this SDS.
Recommended storage temperature	:	36 - 104 °F / 2 - 40 °C
Further information on storage stability	:	Stable under normal conditions.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**Components with workplace control parameters**

Contains no substances with occupational exposure limit values.

Personal protective equipment

Respiratory protection	:	No personal respiratory protective equipment normally required.
------------------------	---	---

Hand protection

Remarks	:	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. The suitability for a specific workplace should be discussed with the producers of the protective gloves.
---------	---	--

Eye protection	:	Eye wash bottle with pure water Tightly fitting safety goggles Wear face-shield and protective suit for abnormal processing problems.
----------------	---	---

Skin and body protection	:	Impervious clothing Choose body protection according to the amount and concentration of the dangerous substance at the work place.
--------------------------	---	---

Hygiene measures	:	When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.
------------------	---	--

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	liquid
Colour	:	blue
Odour	:	ammoniacal
Odour Threshold	:	No data is available on the product itself.
pH	:	No data is available on the product itself.

EPIBOND® 420 B US

Version 2.0	Revision Date: 04/06/2022	SDS Number: 400001008535	Date of last issue: 04/27/2017 Date of first issue: 10/20/2015
----------------	------------------------------	-----------------------------	---

Print Date 04/12/2025

Melting point/freezing point	: No data is available on the product itself.
Boiling point	: No data is available on the product itself.
Flash point	: 230 °F / 110 °C Method: closed cup
Evaporation rate	: No data is available on the product itself.
Flammability (solid, gas)	: No data is available on the product itself.
Flammability (liquids)	: No data is available on the product itself.
Upper explosion limit / Upper flammability limit	: No data is available on the product itself.
Lower explosion limit / Lower flammability limit	: No data is available on the product itself.
Vapour pressure	: < 1.4 hPa (68 °F / 20 °C)
Relative vapour density	: No data is available on the product itself.
Relative density	: 1 (77 °F / 25 °C)
Density	: 1 g/cm ³ (77 °F / 25 °C)
Solubility(ies)	
Water solubility	: slightly soluble (68 °F / 20 °C)
Solubility in other solvents	: No data is available on the product itself.
Partition coefficient: n-octanol/water	: No data is available on the product itself.
Auto-ignition temperature	: No data is available on the product itself.
Decomposition temperature	: > 302 °F / > 150 °C Method: estimated
Self-Accelerating decomposition temperature (SADT)	: No data is available on the product itself.
Viscosity	
Viscosity, dynamic	: ca. 18,000 mPa.s (77 °F / 25 °C)
Explosive properties	: No data is available on the product itself.
Oxidizing properties	: No data is available on the product itself.
Particle size	: No data is available on the product itself.

SECTION 10. STABILITY AND REACTIVITY

EPIBOND® 420 B US

Version	Revision Date:	SDS Number:	Date of last issue:
2.0	04/06/2022	400001008535	04/27/2017
			Date of first issue: 10/20/2015

Print Date 04/12/2025

Reactivity	:	No dangerous reaction known under conditions of normal use.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	No hazards to be specially mentioned.
Conditions to avoid	:	None known.
Incompatible materials	:	Strong acids Strong bases Strong oxidizing agents
Hazardous decomposition products	:	carbon dioxide carbon monoxide Nitrogen oxides (NOx)

SECTION 11. TOXICOLOGICAL INFORMATION**Acute toxicity****Product:**

Acute oral toxicity	:	Acute toxicity estimate: 4,031 mg/kg Method: Calculation method
Acute dermal toxicity	:	Acute toxicity estimate: 4,031 mg/kg Method: Calculation method

Components:**3,3'-oxybis(ethyleneoxy)bis(propylamine):**

Acute oral toxicity	:	LD50 (Rat, male and female): 2,850 - 3,160 mg/kg Method: OECD Test Guideline 401 Assessment: The component/mixture is low toxic after single ingestion.
Acute dermal toxicity	:	LD50 (Rat, male and female): > 2,150 mg/kg Method: OECD Test Guideline 402 Assessment: The component/mixture is low toxic after single contact with skin.

Skin corrosion/irritation**Components:****3,3'-oxybis(ethyleneoxy)bis(propylamine):**

Species	:	Rabbit
Method	:	Other guidelines
Result	:	Corrosive after 3 minutes to 1 hour of exposure

Serious eye damage/eye irritation**Components:****3,3'-oxybis(ethyleneoxy)bis(propylamine):**

EPIBOND® 420 B US

Version	Revision Date:	SDS Number:	Date of last issue:
2.0	04/06/2022	400001008535	04/27/2017
			Date of first issue: 10/20/2015

Print Date 04/12/2025

Species	:	Rabbit
Result	:	Risk of serious damage to eyes.
Assessment	:	Risk of serious damage to eyes.

Respiratory or skin sensitisation**Components:****3,3'-oxybis(ethyleneoxy)bis(propylamine):**

Exposure routes	:	Skin
Species	:	Other
Result	:	May cause sensitisation by skin contact.

Assessment	:	May be harmful if swallowed or in contact with skin., Causes severe skin burns and eye damage. May cause an allergic skin reaction.
------------	---	--

Germ cell mutagenicity**Components:****3,3'-oxybis(ethyleneoxy)bis(propylamine):**

Genotoxicity in vitro	:	Test Type: Ames test Test system: Salmonella typhimurium Concentration: 5000 ug/plate Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 471 Result: negative
-----------------------	---	---

	:	Test Type: Micronucleus test Test system: Chinese hamster fibroblasts Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 487 Result: negative
--	---	--

	:	Test Type: In vitro mammalian cell gene mutation test Test system: Chinese hamster ovary cells Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 476 Result: negative
--	---	---

Germ cell mutagenicity - Assessment	:	In vitro tests did not show mutagenic effects
-------------------------------------	---	---

Carcinogenicity

IARC	No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
------	---

OSHA	No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.
------	--

NTP	No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
-----	---

EPIBOND® 420 B US

Version	Revision Date:	SDS Number:	Date of last issue:
2.0	04/06/2022	400001008535	04/27/2017
			Date of first issue: 10/20/2015

Print Date 04/12/2025

Reproductive toxicity**Components:****3,3'-oxybis(ethyleneoxy)bis(propylamine):**

Effects on fertility : Species: Rat, male and female
Application Route: Oral
Dose: 100,300,1000 (600 day7) mg/kg
Frequency of Treatment: 7 days/week
General Toxicity - Parent: NOAEL: 600 mg/kg body weight
Fertility: NOAEL: 600 mg/kg body weight
Early Embryonic Development: NOAEL: 600 mg/kg body weight
Method: OECD Test Guideline 422

Reproductive toxicity - Assessment : No evidence of adverse effects on sexual function and fertility, or on development, based on animal experiments.

STOT - single exposure

No data available

STOT - repeated exposure

No data available

Repeated dose toxicity**Components:****3,3'-oxybis(ethyleneoxy)bis(propylamine):**

Species : Rat, male and female
NOAEL : < 100 mg/kg
Application Route : oral (gavage)
Number of exposures : daily
Dose : 100, 300, 1000(600,day7)mg/kg
Control Group : yes
Method : OECD Test Guideline 422

Repeated dose toxicity - Assessment : May be harmful if swallowed or in contact with skin., Causes severe skin burns and eye damage.
No adverse effect has been observed in chronic toxicity tests.

Aspiration toxicity

No data available

Experience with human exposure

No data available

Toxicology, Metabolism, Distribution

No data available

Neurological effects

No data available

Further information

No data available

EPIBOND® 420 B US

Version	Revision Date:	SDS Number:	Date of last issue:
2.0	04/06/2022	400001008535	04/27/2017
			Date of first issue: 10/20/2015

Print Date 04/12/2025

SECTION 12. ECOLOGICAL INFORMATION**Ecotoxicity****Components:****3,3'-oxybis(ethyleneoxy)bis(propylamine):**

Toxicity to fish	:	LC50 (Leuciscus idus (Golden orfe)): > 1,000 mg/l Exposure time: 96 h Test Type: static test Method: DIN 38412
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 218.16 mg/l Exposure time: 48 h Test Type: static test Method: Directive 67/548/EEC, Annex V, C.2.
Toxicity to algae/aquatic plants	:	EC50 (Desmodesmus subspicatus (green algae)): > 500 mg/l Exposure time: 72 h Test Type: static test Method: DIN 38412
Toxicity to microorganisms	:	(Pseudomonas putida): 221.9 mg/l End point: Growth rate Exposure time: 17 h Test Type: static test Method: DIN 38412

Persistence and degradability**Components:****3,3'-oxybis(ethyleneoxy)bis(propylamine):**

Biodegradability	:	Inoculum: activated sludge Concentration: 30 mg/l Result: Not readily biodegradable. Biodegradation: < 10 % Exposure time: 60 d Method: OECD Test Guideline 301B
------------------	---	---

Bioaccumulative potential**Components:****3,3'-oxybis(ethyleneoxy)bis(propylamine):**

Partition coefficient: n-octanol/water	:	log Pow: -1.25 (77 °F / 25 °C) pH: 11.1 Method: OECD Test Guideline 107
--	---	---

Mobility in soil

No data available

Other adverse effects**Product:**

Ozone-Depletion Potential	:	Regulation: 40 CFR Protection of Environment; Part 82
---------------------------	---	---

EPIBOND® 420 B US

Version	Revision Date:	SDS Number:	Date of last issue:
2.0	04/06/2022	400001008535	04/27/2017
			Date of first issue: 10/20/2015

Print Date 04/12/2025

Protection of Stratospheric Ozone - CAA Section 602 Class I Substances

Remarks: This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

SECTION 13. DISPOSAL CONSIDERATIONS**Disposal methods**

Waste from residues : Dispose of contents and container in accordance with all local, regional, national and international regulations.
Do not dispose of waste into sewer.
Do not contaminate ponds, waterways or ditches with chemical or used container.

Contaminated packaging : Empty remaining contents.
Dispose of as unused product.
Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION**International Regulations****IATA-DGR**

UN/ID No. : UN 2735
Proper shipping name : Amines, liquid, corrosive, n.o.s.
(TRIOXATRIDECANEDIAMINE)
Class : 8
Packing group : II
Labels : Corrosive
Packing instruction (cargo aircraft) : 855
Packing instruction (passenger aircraft) : 851

IMDG-Code

UN number : UN 2735
Proper shipping name : AMINES, LIQUID, CORROSIVE, N.O.S.
(TRIOXATRIDECANEDIAMINE)
Class : 8
Packing group : II
Labels : 8
EmS Code : F-A, S-B
Marine pollutant : no

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations**49 CFR**

UN/ID/NA number : UN 2735
Proper shipping name : Amines, liquid, corrosive, n.o.s.
(TRIOXATRIDECANEDIAMINE)

EPIBOND® 420 B US

Version	Revision Date:	SDS Number:	Date of last issue:
2.0	04/06/2022	400001008535	04/27/2017
			Date of first issue: 10/20/2015

Print Date 04/12/2025

Class	:	8
Packing group	:	II
Labels	:	CORROSIVE
ERG Code	:	153
Marine pollutant	:	no

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION**CERCLA Reportable Quantity**

This material does not contain any components with a CERCLA RQ.

SARA 311/312 Hazards	:	Respiratory or skin sensitisation Skin corrosion or irritation Serious eye damage or eye irritation
-----------------------------	---	---

SARA 313	:	This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.
-----------------	---	---

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

California Prop. 65

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

The components of this product are reported in the following inventories:

DSL	:	This product contains one or several components listed in the Canadian NDSL.
AIIC	:	On the inventory, or in compliance with the inventory
NZIoC	:	On the inventory, or in compliance with the inventory
ENCS	:	On the inventory, or in compliance with the inventory
KECI	:	On the inventory, or in compliance with the inventory
PICCS	:	Not in compliance with the inventory
IECSC	:	Notified. Allowed to be imported / manufactured only by the notifiers. Please contact your Huntsman sales representative for more information.
TCSI	:	On the inventory, or in compliance with the inventory
TSCA	:	All substances listed as active on the TSCA inventory

EPIBOND® 420 B US

Version 2.0 Revision Date: 04/06/2022 SDS Number: 400001008535 Date of last issue: 04/27/2017
Date of first issue: 10/20/2015

Print Date 04/12/2025

Inventories


AIIC (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TECI (Thailand), TSCA (USA)

TSCA - 5(a) Significant New Use Rule List of Chemicals

No substances are subject to a Significant New Use Rule.

US. Toxic Substances Control Act (TSCA) Section 12(b) Export Notification (40 CFR 707, Subpt D)

No substances are subject to TSCA 12(b) export notification requirements.

SECTION 16. OTHER INFORMATION**Further information****NFPA 704:****HMIS® IV:**

HEALTH		3
FLAMMABILITY		1
PHYSICAL HAZARD		0

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard

Revision Date : 04/06/2022

The information and recommendations in this publication are to the best of our knowledge, information and belief accurate at the date of publication, NOTHING HEREIN IS TO BE CONSTRUED AS A WARRANTY, EXPRESS OR OTHERWISE.

IN ALL CASES, IT IS THE RESPONSIBILITY OF THE USER TO DETERMINE THE APPLICABILITY OF SUCH INFORMATION AND RECOMMENDATIONS AND THE SUITABILITY OF ANY PRODUCT FOR ITS OWN PARTICULAR PURPOSE.

THE PRODUCT MAY PRESENT HAZARDS AND SHOULD BE USED WITH CAUTION. WHILE CERTAIN HAZARDS ARE DESCRIBED IN THIS PUBLICATION, NO GUARANTEE IS MADE THAT THESE ARE THE ONLY HAZARDS THAT EXIST.

Hazards, toxicity and behaviour of the products may differ when used with other materials and are dependent upon the manufacturing circumstances or other processes. Such hazards,

EPIBOND® 420 B US

Version	Revision Date:	SDS Number:	Date of last issue: 04/27/2017
2.0	04/06/2022	400001008535	Date of first issue: 10/20/2015

Print Date 04/12/2025

toxicity and behaviour should be determined by the user and made known to handlers, processors and end users.

The trademarks above are the property of Huntsman Corporation or an affiliate thereof.

NO PERSON OR ORGANIZATION EXCEPT A DULY AUTHORIZED HUNTSMAN EMPLOYEE IS AUTHORIZED TO PROVIDE OR MAKE AVAILABLE DATA SHEETS FOR HUNTSMAN PRODUCTS. DATA SHEETS FROM UNAUTHORIZED SOURCES MAY CONTAIN INFORMATION THAT IS NO LONGER CURRENT OR ACCURATE.